EANCOM[®] 2002 S4

CREMUL

Multiple credit advice message

Edition 2016

| 1. Introduction | 2 |
|----------------------------|-----|
| 2. Message Structure Chart | |
| 3. Branching Diagram | |
| 4. Segments Description | |
| 5. Segments Layout | |
| 6. Example(s) | 115 |

1. Introduction

| Status | |
|------------------------------------|----------|
| MESSAGE TYPE | : CREMUL |
| REFERENCE DIRECTORY | : D.01B |
| EANCOM [®] SUBSET VERSION | : 003 |
| | |

Definition

A Multiple Credit Advice message is sent by an Account Servicing Financial Institution to the Account Owner or to a third party, which has agreed bilaterally in advance, that its account(s) has been or will be credited for specified amount(s) on the date(s) indicated, in settlement of the referenced business transaction(s).

Principles

A Multiple Credit Advice message may cover the financial settlement of one or more commercial trade transactions, such as invoices, debit notes, etc.

Several credit accounts, value dates, entry dates and currencies may be specified.

The message may be used to indicate the charges associated with the transaction(s) detailed within the message and also the party responsible for their payment.

Notes

This section should be read in conjunction with the Branching Diagram and the Segment Table which indicate mandatory, conditional and repeating requirements.

The following semantic principles which apply to the message are intended to facilitate a better understanding of the message:

The Multiple Credit Advice message is structured in three levels, A, B, and C.

- Level A contains data related to routing criteria for the whole message and is contained in the heading section, segment group 1 through 3, the CNT segment, group 28, and the UNT segment.
- Level B contains data from the credit side (one credit account, one currency, one execution date) and data which applies to all further details of C level(s) and is contained in segment group 4 through 9.
- Level C contains detailed data related to the transactions which make up the credit side and is contained in segment group 10 through 27.

The structure of the message is designed to allow several B levels, each B level being followed by its related C levels.

Using the message for simple, extended, or multiple transactions

The multiple credit advice message may be used by a beneficiary's bank to transmit single, extended, or multiple credit advices to a beneficiary.

A **credit advice** is a message from a bank to its customer providing notification that funds have been credited to its account(s) and identifying the party responsible for the credit.

A simple credit advice always relates to **one credit** from **one ordering customer** to the account(s) of **one beneficiary**. To use the CREMUL message as a simple credit advice the following data will be provided;

Ordering Customer Data / Beneficiary data Where

NAD - Group 14 FII - Groups 6 and 10

1. Introduction

| Credit Values | MOA - segment group 4 (Total CREDIT value) MOA - segment group 13 (Individual CREDIT transaction values) |
|------------------------------------|---|
| Bank Reference Number | RFF - segment group 5 and 11 (qualifier ACK data element 1153) |
| Ordering Customer Reference Number | RFF - segment group 5 and 11 (qualifier CR data element 1153 - taken from PAYMUL) |
| Payment Data | Segment group 20 (PRC segment) Segment group 21 (DOC segment) Segment group 27 (GIS segment) Remittance data previously provided in the EANCOM [®] REMADV message. |

An extended credit advice always relates to **many credits** from **one ordering customer** to the account of **one beneficiary**. To use the CREMUL message as an extended credit advice the following data will be provided;

| Data | Where |
|--|---|
| Ordering Customer Data / Beneficiary data | NAD - Group 14 FII - Groups 6 and 10 |
| Credit Values | MOA - Group 4 (Total CREDIT value) MOA - Group 13 (Individual CREDIT transaction values) |
| Bank Reference Number | RFF - Group 5 and 11 (qualifier AIK data element 1153) |
| Ordering Customer Reference Number | RFF - Group 5 and 11 (qualifier CR data element 1153 - taken from PAYMUL) |
| Payment Data | Group 20 (PRC segment) Group 21 (as many segments as required) to identify each payment made. Group 27 (GIS segment) |

A multiple credit advice always relates to **many credits** from **many ordering customers** to the account(s) of **one beneficiary**. The complete structure of the CREMUL message may be transmitted in order to provide multiple credit advices.

Remittance data

Included in the multiple credit advice message is the functionality to provide detailed remittance data. This data is simply **transmitted** by the ordering customer's bank to the beneficiary's bank (is not changed by either bank) for ultimate transmission to the beneficiary in the multiple credit advice.

In addition to this facility EANCOM[®] also includes the Remittance Advice message (REMADV). The method to be used to communicate remittance advice data depends on user requirements.


If the user wishes to transmit the remittance information using the EANCOM[®] REMADV message a link is established between the credit advice and the REMADV using the RFF segment in segment group 11.


2. Message Structure Chart


| | Ν | Aultip | le Cr | edit | Adv | vice Head | ling Section |
|---|---------|----------|-------|--------------|-----|------------|---|
| | ι | JNH | | 1 | М | 1 | - Message header |
| | E | 3GM | | 2 | М | 1 | - Beginning of message |
| | C | ОТМ | | 3 | С | 1 | - Date/time/period |
| | E | BUS | | 4 | С | 1 | - Business function |
| F | S | G2 | | | С | 5 | - FII |
| L | F | -11 | | 5 | Μ | 1 | - Financial institution information |
| - | S | G3 | | | С | 3 | - NAD |
| L | N | VAD | | 6 | Μ | 1 | - Name and address |
| | N | Aultin | le Cr | edit | ٨d | vice Detai | il Section - Level B |
| | | 6G4 | | <u>o un </u> | M | 9999 | - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 |
| Γ | | .IN | | 7 | M | 1 | - Line item |
| | | DTM | | 8 | С | 2 | - Date/time/period |
| | | BUS | | 9 | č | 1 | - Business function |
| | | ЛОА | | 10 | - | 2 | - Monetary amount |
| | | G5 | * | 10 | M | 3 | - RFF-DTM |
| | | RFF | | 11 | | 1 | - Reference |
| | | DTM | + | 12 | | 1 | - Date/time/period |
| | | SG6 | • | 12 | M | 1 | - FII |
| | | FII | | 13 | | 1 | - Financial institution information |
| | | G7 | | 10 | С | 5 | - FCA-MOA-SG8 |
| | | CA | | 14 | | 1 | - Financial charges allocation |
| | | ЛОА | | 15 | | 2 | - Monetary amount |
| | | SG8 | | 10 | č | 6 | - ALC-PCD-MOA-CUX-DTM-SG9 |
| | | ALC | | 16 | | 1 | - Allowance or charge |
| | | PCD | | 17 | | 1 | - Percentage details |
| | | ЛОА | | 18 | | 2 | - Monetary amount |
| | | CUX | | 19 | | 1 | - Currencies |
| | | DTM | | 20 | | 1 | - Date/time/period |
| | | SG9 | | | Č | 5 | - TAX-MOA |
| | | AX | | 21 | | 1 | - Duty/tax/fee details |
| | | ЛОА | | 22 | | 2 | - Monetary amount |
| - | Ν | Aultip | le Cr | edit | Adv | vice Detai | I Section - Level C |
| I | | G10 | | 0 411 | M | 99999 | - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG |
| | | SEQ | | 23 | | 1 | - Sequence details |
| | | DTM | | 24 | | 3 | - Date/time/period |
| | | BUS | | 25 | | 1 | - Business function |
| | | | | 26 | | 2 | - Financial institution information |
| | | GG11 | | 20 | С | 5 | - RFF-DTM |
| | | RFF | | 27 | | 1 | - Reference |
| | | DTM | | 28 | | 1 | - Date/time/period |
| | | G12 | | | Č | 1 | - PAI |
| | F | PAI | | 29 | М | 1 | - Payment instructions |
| | | G13 | * | | М | 4 | - MÓA-CUX-DTM-RFF |
| | | ЛОА | | 30 | М | 1 | - Monetary amount |
| | 0 | CUX | + | 31 | С | 1 | - Currencies |
| | Ľ | ОТМ | | 32 | С | 2 | - Date/time/period |
| | F | RFF | | 33 | С | 1 | - Reference |
| | S | G14 | | | С | 3 | - NAD-CTA-COM |
| | N | VAD | | 34 | М | 1 | - Name and address |
| | | CTA | | 35 | С | 1 | - Contact information |
| | | COM | | 36 | С | 5 | - Communication contact |
| | | G15 | | | С | 3 | - INP-FTX-DTM |
| | | NP | | 37 | | 1 | - Parties and instruction |
| | | ТХ | | 38 | | 1 | - Free text |
| | | ОТМ | | 39 | | 1 | - Date/time/period |
| 1 | s اب | G16 | | | С | 10 | - GIS-MOA-LOC-NAD-RCS-FTX |
| | | | | | | | |


2. Message Structure Chart


| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | General indicator Monetary amount Place/location identification Name and address Requirements and conditions Free text FCA-MOA-SG18 Financial charges allocation Monetary amount ALC-PCD-MOA-CUX-DTM-SG19 Allowance or charge Percentage details Monetary amount Currencies Date/time/period FAX-MOA Duty/tax/fee details Monetary amount PRC-FTX-SG21-SG27 Process identification Free text DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 Document/message details Monetary amount Date/time/period Reference Name and address CUX-DTM Currencies Date/time/period Reference Name and address CUX-DTM Currencies Date/time/period Reference Name and address CUX-DTM Currencies Date/time/period Adjustment details Monetary amount Reference Date/time/period AJT-MOA-RFF Adjustment details Monetary amount Reference Date/time/period AJT-MOA-RFF Adjustment details Monetary amount Additional product id Date/time/period AJT-MOA-RFF Adjustment details |
|---|--|
| | - AJT-MOA-RFF |
| MOA 72 C 1 | - Adjustment details - Monetary amount |
| ∭Щ_RFF 73 C 1 | - Reference |
| SG27 C 1 | - GIS-MOA |
| GIS X 74 M 1 MOA 75 C 5 | - General indicator - Monetary amount |
| | - |
| Multiple Credit Advice Summary S CNT 76 C 5 | <u>Section</u> - Control total |
| SG28 C 5 | - AUT-DTM |
| AUT 77 M 1 | - Authentication result |
| DTM 78 C 1 | - Date/time/period |
| UNT 79 M 1 | - Message trailer |





























| Multiple Credit Advice Heading Section | | | | |
|--|--------------|--|--|--|
| UNH - M | 1 - | Message header | | |
| | | This segment is used to head, identify and specify a message. | | |
| BGM - M | 1 - | Beginning of message | | |
| | | This segment is used to indicate the type and function of a message and to transmit the identifying number. | | |
| DTM - C | 1 - | Date/time/period | | |
| | | This segment is used to specify the date on which the Multiple Credit Advice message was created. | | |
| BUS - C | 1 - | Business function | | |
| | | This segment is used to indicate whether all of the credits contained in the message are Domestic, European, or International. | | |
| SG2 - C | 5 - | FII | | |
| | | A group of segments identifying the financial institutions involved in the multiple credit advice. | | |
| FII - M | 1 - | Financial institution information | | |
| | | This segment is used to identify the financial institution sending the multiple credit advice. | | |
| SG3 - C | 3 - | NAD | | |
| | | A group of segments identifying the name(s) and address(es) of non-financial parties involved in the transaction and their function. | | |
| NAD - M | 1 - | Name and address | | |
| | | This segment is used to identify the recipient of the multiple credit advice message. | | |
| Multiple C | redit Advice | Detail Section - Level B | | |
| SG4 - M | 9999 - | LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | |
| | | A group of segments containing information details which are relevant to all transactions specified in the message. | | |
| LIN - M | 1 - | Line item | | |
| | | This segment is used to identify a line within the multiple credit advice by means of a unique line number. | | |
| DTM - C | 2 - | Date/time/period | | |
| | | This segment is used to specify the posting and value dates for the credit instruction. | | |
| BUS - C | 1 - | Business function | | |
| | | This segment is used to identify the characteristics of the credit instructions detailed in level C of the message. | | |
| MOA - M | 2 - | Monetary amount | | |
| | | This segment is used to specify the total credit amount, and/or information amount, and if necessary the relevant currency. | | |
| SG5 - M | 3 - | RFF-DTM | | |
| | | A segment group containing references related to the payments, as well as relevant dates. | | |
| RFF - M | 1 - | Reference | | |
| | | This segment is used to provide reference numbers related to the payments contained in the message. | | |

DTM - C 1 - Date/time/period

This segment contains data relevant to the related references.

| SG6 - M 1 | - FII |
|---------------------|--|
| FII - M 1 | A group of segments identifying the account that has been or will be credited. - Financial institution information |
| | This segment is used to identify the financial institution and account information related to the beneficiary for the credit instruction. |
| SG7 - C 5 | - FCA-MOA-SG8 |
| | A group of segments providing full details of all charges or allowances, and associated taxes, that apply to the total amount, together with information as to who bears the charges and to which account they have been directed. Where charges are subject to taxation this may also be specified. |
| FCA - M 1 | - Financial charges allocation |
| | This segment is used to identify the method for allocating charges and allowances, to a Beneficiary or Payee account. It may also identify an account where charges/ allowances should be directed when different to the primary account. |
| MOA - C 2 | - Monetary amount |
| | This segment is used to specify the monetary value of all allowances and charges related to the credit transaction and if necessary the basis for the allowances and charges. |
| SG8 - C 6 | - ALC-PCD-MOA-CUX-DTM-SG9 |
| | A group of segments providing a detailed breakdown of all charges (or allowances) and associated charges (or allowances). |
| ALC - M 1 | - Allowance or charge |
| | This segment is used to provide a breakdown of all allowances and charges associated with the transaction. |
| PCD - C 1 | - Percentage details |
| | This segment is used to specify the percentage to be used when calculating the allowance or charge. |
| MOA - C 2 | - Monetary amount |
| | This segment is used to specify the amount and if necessary the basis amount to be used when calculating the allowances or charges. |
| CUX - C 1 | - Currencies |
| | This segment is used to provide the exchange rate related to the allowances or charges. |
| DTM - C 1 | - Date/time/period |
| | This segment is used to specify the date on which a rate of exchange was quoted. |
| SG9 - C 5 | - TAX-MOA |
| | A group of segments describing any taxes associated with charges and their amount. |
| TAX - M 1 | - Duty/tax/fee details |
| | This segment is used to specify any taxes associated with the allowances and charges. |
| MOA - C 2 | - Monetary amount |
| | This segment is used to indicate the tax or duty amount for the tax rates specified in the previous TAX segment. |
| Multiple Credit Adv | ice Detail Section - Level C |
| SG10 - M 99999 | - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 |

| G10 - M 99999 | - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 |
|---------------|--|
| | A segment group providing details regarding the individual transactions, such as |
| | dates, financial institutions, account numbers. |

| SEQ - M 1 | - Sequence details |
|-------------------|--|
| | This segment is used to identify the start of the specification of individual transactions (level C) by means of a sequence number within the current line number. The sequence number should be reset to one for each occurrence of a new line number (in LIN segment). |
| DTM - C 3 | - Date/time/period |
| | This segment is used to specify dates related to references provided in the previous segment. |
| BUS - C 1 | - Business function |
| | This segment is used to identify the characteristics of the individual credit transactions. |
| FII - M 2 | - Financial institution information |
| | This segment is used to identify the financial institution and account number(s) related to the current transaction. |
| SG11 - C 5 | - RFF-DTM |
| RFF - M 1 | A group of segments containing references of other messages and transactions, with relevant date(s)/time(s). - Reference |
| | This segment is used to identify any references related to the credit entry. |
| DTM - C 1 | - Date/time/period |
| | This segment is used to specify dates relevant to the beneficiary's side of the credit |
| | entry. |
| SG12 - C 1 | - PAI |
| | A group of segments specifying conditions, guarantees, method and channel of payment used. |
| PAI - M 1 | - Payment instructions |
| | This segment is used to specify the payment channel which has been used. It is recommended that this segment is only used if no previous agreements are in place between trading partners. |
| SG13 - M 4 | - MOA-CUX-DTM-RFF |
| | A group of segments identifying the monetary amounts and, if necessary, the currencies, exchange rate and date for the amount of the transaction. |
| MOA - M 1 | - Monetary amount |
| | This segment is used to specify the booked amount which will be or has been credited to the beneficiary's account. If necessary it may also specify an information amount related to the credit transaction. |
| CUX - C 1 | - Currencies |
| | This segment is used to identify the source currency and the target currency of the transaction. |
| DTM - C 2 | - Date/time/period |
| | This segment is used to specify dates relevant to the preceding monetary amount or the following reference. |
| RFF - C 1 | - Reference |
| | This segment is used to identify a transaction negotiated between the beneficiary (or payee) and the beneficiary's bank. |
| SG14 - C 3 | - NAD-CTA-COM |
| | A group of segments identifying the name and address of non-financial parties involved in the message, their function and their contacts. |

| NAD - M | 1 | - Name and address |
|-----------------|----|--|
| | | This segment is used to identify the ordering customer of the credit instruction. |
| CTA - C | 1 | - Contact information |
| | | This segment is used to provide contact details relevant for the party identified in the previous NAD segment. |
| COM - C | 5 | - Communication contact |
| | | This segment is used to provide communications details relevant to the contact identified in the CTA segment. |
| SG15 - C | 3 | - INP-FTX-DTM |
| | | A group of segments containing instructions relating to parties identified in the NAD and FII segments in Segment Group 2 and/or Segment Group 3. It specifies action taken or to be taken by the identified parties, and the date (and optionally time) by which such action was taken or needs to be taken. |
| INP - M | 1 | - Parties and instruction |
| | | This segment is used to identify the party who must carry out an instruction from the ordering customer, and the party to whom the instruction is intended. |
| FTX - C | 1 | - Free text |
| | | This segment is used to provide additional coded or free text instructions to those provided in the INP segment. |
| DTM - C | 1 | - Date/time/period |
| | | This segment is used to specify the earliest and latest dates by which the instructions must be carried out. |
| SG16 - C | 10 | - GIS-MOA-LOC-NAD-RCS-FTX |
| | | A group of segments providing information for subsequent use by regulatory authorities requiring statistical and other types of data. It also identifies the regulatory authority for which the information is intended followed by the information itself. |
| GIS - M | 1 | - General indicator |
| | | This segment is used to indicate that the information contained in the following segments will be passed on to and processed by the central and regulatory party identified in the NAD segment. |
| MOA - C | 1 | - Monetary amount |
| | | This segment is used to specify monetary amounts which must be reported to the regulatory party identified in the NAD segment. |
| LOC - C | 2 | - Place/location identification |
| | | This segment is used to indicate any locations relevant to the regulatory party identified in the NAD segment. |
| NAD - C | 1 | - Name and address |
| | | This segment is used to identify the central and regulatory authority specifying the regulatory information detailed in the GIS and FTX segments. |
| RCS - C | 1 | - Requirements and conditions |
| | | This segment is used to indicate any requirements and conditions related to the transaction which is being reported to the regulatory authorities. |
| FTX - C | 10 | - Free text |
| | | This segment is used to provide free or coded text information required by the regulatory authorities. The form and content of this segment is dependent upon the central bank or regulatory authority's requirements. |

| SG17 - C 5 | - FCA-MOA-SG18 |
|--------------------------|---|
| | A group of segments providing full details of all charges or allowances, and associated taxes, that apply to a particular transaction, together with information as to who bears the charges and to which account they have been directed. A total value of all charges plus allowances may be given for every account to which charges may be directed. Where charges are subject to taxation this may also be specified. |
| FCA - M 1 | - Financial charges allocation |
| | This segment is used to identify the method for allocating charges and allowances, to a Beneficiary or Payee account. It may also identify an account where charges/ allowances should be directed when different to the primary account. |
| MOA - C 2 | - Monetary amount |
| | This segment is used to specify the monetary value of all allowances and charges related to individual credit transactions and if necessary the basis for the allowances and charges. |
| SG18 - C 20 | - ALC-PCD-MOA-CUX-DTM-SG19 |
| ALC - M 1 | A group of segments providing a detailed breakdown of all charges (or allowances) and associated charges (or allowances). - Allowance or charge |
| | This segment is used to provide a breakdown of all allowances and charges associated with the transaction. |
| PCD - C 1 | - Percentage details |
| | This segment is used to specify the percentage to be used when calculating the allowance or charge. |
| MOA - C 2 | - Monetary amount |
| | This segment is used to specify the amount and if necessary the basis amount to be used when calculating the allowances or charges. |
| CUX - C 1 | - Currencies |
| | This segment is used to provide the exchange rate related to the allowances or charges. |
| DTM - C 2 | - Date/time/period |
| | This segment is used to specify the date on which a rate of exchange was quoted. |
| SG19 - C 5 | - TAX-MOA |
| T AN A A A | A group of segments describing any taxes associated with charges and their amount. |
| TAX - M 1 | - Duty/tax/fee details |
| | This segment is used to specify any taxes associated with the allowances and charges. |
| MOA - C 2 | - Monetary amount |
| | This segment is used to indicate the tax or duty amount for the tax rates specified in the previous TAX segment. |
| SG20 - C 1 | - PRC-FTX-SG21-SG27 |
| | A group of segments containing the details of payment. The content of these segments is passed through the banking chain from the Ordering Customer to the Beneficiary. |
| PRC - M 1 | - Process identification |
| | This segment is used to provide processing information related to the credit instruction. |

| FTX - C | 5 | - Free text |
|-----------------|------|--|
| | | This segment is used to provide free or coded text information related to the processing of the payment. |
| SG21 - C | 9999 | - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 |
| | | A group of segments providing details of all documents, e.g.invoices, statements, despatch advices, etc., to which the multiple credit advice refers. It includes information on the monetary amounts for each document and on any adjustments (with an indication of the reason for adjustments) and discounts. |
| DOC - M | 1 | - Document/message details This segment is used to provide details of the documents, e.g. a group of invoices, |
| | | to which the multiple credit advice refers. |
| MOA - C | 5 | - Monetary amount |
| | | This segment is used to specify monetary amounts related to the complete document identified in the previous DOC segment. |
| DTM - C | 5 | - Date/time/period |
| | | This segment is used to specify dates related to the document identified in the DOC segment. |
| RFF - C | 5 | - Reference |
| | | This segment is used to provide any additional references relevant to the currently identified DOC segment. |
| NAD - C | 2 | - Name and address |
| | | This segment is used to identify any additional parties related to the currently identified document, e.g. delivery party. |
| SG22 - C | 5 | - CUX-DTM |
| | | A group of segments specifying the currencies and the related dates/periods valid to the referenced document where different to the reference currency. |
| CUX - M | 1 | - Currencies |
| | | This segment is used to provide currency rate of exchange information used to convert amounts specified in the MOA segment for the referenced document, to an amount expressed in terms of the remittance/payment currency. This CUX segment will only be used when the currency of its rate of exchange is different from the default global currency or its rate of exchange specified in the CUX segment at heading level. |
| DTM - C | 1 | - Date/time/period |
| | | This segment is used to specify any dates related to the currency information specified in the previous CUX segment. |
| SG23 - C | 100 | - AJT-MOA-RFF |
| | | A group of segments indicating adjustment amounts and their referenced documents. |
| AJT - M | 1 | - Adjustment details |
| | | This segment is used to indicate the reason for an adjustment to the current document. |
| MOA - C | 1 | - Monetary amount |
| | | This segment is used to indicate the value of the adjusted amount for the current document. |
| RFF - C | 1 | - Reference |
| | | This segment is used to specify any references associated with the adjusted amounts. |

| SG24 - C | ; | 9999 - | DLI-MOA-PIA-DTM-SG26 |
|---|----|--------------|---|
| DLI - N | Л | 1 - | A group of segments which may be used when required to provide details of individual line items in the reference document. Document line identification |
| | • | | This segment is used to identify individual line items within the document identified in the DOC segment. |
| MOA - C | ; | 5 - | Monetary amount |
| | | | This segment is used to indicate the amount due and the amount remitted for the line item identified in the DLI segment for the current document. |
| PIA - C | ; | 5 - | Additional product id |
| | | | This segment is used to provide the product identification of the line item detailed in the DLI segment for the current document. |
| DTM - C | ; | 5 - | Date/time/period |
| | | | This segment is used to specify any dates which are relevant to the current line item. |
| SG26 - C | ; | 10 - | AJT-MOA-RFF |
| AJT - N | Л | 1 - | A group of segments indicating adjustment amounts and their referenced documents for this line item. Adjustment details |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | This segment is used to indicate the reason for an adjustment to the current line identified in the DLI segment. |
| MOA - C | ; | 1 - | Monetary amount |
| | | | This segment is used to indicate the value of the adjusted amount for the current line item. |
| RFF - C | ; | 1 - | Reference |
| | | | This segment is used to specify any references associated with the adjustment amounts for the current line item. |
| SG27 - C | ; | 1 - | GIS-MOA |
| | 4 | 4 | A group of segments indicating the end of the details of payment and specifying hash total amounts for control purposes. |
| GIS - N | /1 | - | General indicator |
| MOA - C | | 5 | This segment is used to indicate the end of the detail of payment. |
| MOA - C | , | 5 - | Monetary amount This segment is used to indicate the total amount for level C for control purposes. |
| | | | The figure detailed here is simply an accumulation of the values specified in all MOA segments in level C regardless of the qualifiers used in DE 5025. |
| Multiple | С | redit Advice | Summary Section |
| CNT - C | ; | 5 - | Control total |
| | | | This segment is used to provide application data for message control purposes. |
| SG28 - C | ; | 5 - | AUT-DTM |
| | _ | | A group of segments specifying the details of any authentication (validation) procedures applied to the CREMUL message. |
| AUT - N | 1 | 1 - | Authentication result |
| | | | This segment is used to provide details of any authentication procedures which have been applied to the multiple credit advice. The use of this segment is, including any algorithms and calculation procedures, dependent on bilaterally agreed conditions between the message sender and receiver. |
| | | | |

| DTM - C 1 | - Date/time/period |
|-----------|--|
| | This segment is used to provide details related to the date and where necessary, the time, of the multiple credit advice validation. |
| UNT - M 1 | - Message trailer |
| | This segment is a mandatory UN/EDIFACT segment. It must always be the last segment in the message. |

5. Segments Layout

This section describes each segment used in the EANCOM[®] Multiple Credit Advice message. The original EDIFACT segment layout is listed. The appropriate comments relevant to the EANCOM[®] subset are indicated.

Notes:

- 1. The segments are presented in the sequence in which they appear in the message. The segment or segment group tag is followed by the (M)andatory / (C)onditional indicator, the maximum number of occurrences and the segment description.
- 2. Reading from left to right, in column one, the data element tags and descriptions are shown, followed by in the second column the EDIFACT status (M or C), the field format, and the picture of the data elements. These first pieces of information constitute the original EDIFACT segment layout.

Following the EDIFACT information, EANCOM[®] specific information is provided in the third, fourth, and fifth columns. In the third column a status indicator for the use of (C)onditional EDIFACT data elements (see 2.1 through 2.3 below), in the fourth column the restricted indicator (see point 3 on the following page), and in the fifth column notes and code values used for specific data elements in the message.

- 2.1 (M)andatory data elements in EDIFACT segments retain their status in EANCOM®.
- 2.2 Additionally, there are five types of status for data elements with a (C)onditional EDIFACT status, whether for simple, component or composite data elements. These are listed below and can be identified when relevant by the following abbreviations:

| - REQUIRED | R | Indicates that the entity is required and must be sent. |
|-------------|---|--|
| - ADVISED | Α | Indicates that the entity is advised or recommended. |
| - DEPENDENT | D | Indicates that the entity must be sent in certain conditions, as defined by the relevant explanatory note. |
| - OPTIONAL | 0 | Indicates that the entity is optional and may be sent at the discretion of the user. |
| - NOT USED | Ν | Indicates that the entity is not used and should be omitted. |

- 2.3 If a composite is flagged as **N**, **NOT USED**, all data elements within that composite will have blank status indicators assigned to them.
- 3. Status indicators detailed in the fourth column which directly relate to the code values detailed in the fifth **column** may have two values:

| - RESTRICTED | * | A data element marked with an asterisk (*) in the fourth column indicates that the listed codes in column five are the only codes available for use with this data element, in this segment, in this message. |
|--------------|---|--|
| - OPEN | | All data elements where coded representation of data is possible and a restricted set of code values is not indicated are open (no asterisk in fourth column). The available codes are listed in the EANCOM [®] Data Elements and Code Sets Directory. Code values |

4. Different colours are used for the code values in the segment details: restricted codes are in red and open codes in blue.

or type of code to be used.

may be given as examples or there may be a note on the format

5. Segments Layout

Segment number: 1

| 0 | | | |
|-----|-----|--------------------|--|
| UNH | - M | 1 - Message header | |

Function:

To head, identify and specify a message.

Notes:

1. Data element S009/0057 is retained for upward compatibility. The use of S016 and/or S017 is encouraged in preference.

2. The combination of the values carried in data elements 0062 and S009 shall be used to identify uniquely the message within its group (if used) or if not used, within its interchange, for the purpose of acknowledgement.

| | | EDIFACT | GS1 | * | Description |
|------|---|---------|-----|---|--|
| 0062 | Message reference number | M an14 | М | | Sequence number of message in the interchange. DE 0062 in the UNT will have the same value. Sender generated. |
| S009 | MESSAGE IDENTIFIER | М | Μ | | |
| 0065 | Message type | Man6 | Μ | * | CREMUL = Multiple credit advice message |
| 0052 | Message version number | Man3 | М | * | D = Draft version/UN/EDIFACT Directory |
| 0054 | Message release number | Man3 | Μ | * | 01B = Release 2001 - B |
| 0051 | Controlling agency, coded | Man3 | Μ | * | UN = UN/CEFACT |
| 0057 | Association assigned code | C an6 | R | * | EAN003 = GS1 version control number (GS1 Permanent Code) Indicates that the message is the EANCOM version 003 of the UNSM Multiple Credit Advice. |
| 0110 | Code list directory version number | C an6 | 0 | | This data element can be used to identify the codelist agreed by the interchange partners, e.g. EAN001 = EANCOM 2002 S4 codelist released on 01.12.2002 by GS1. |
| 0113 | Message type sub-function identification | C an6 | N | | |
| 0068 | Common access reference | C an35 | Ν | | |
| S010 | STATUS OF THE TRANSFER | С | N | | |
| 0070 | Sequence of transfers | M n2 | | | |
| 0073 | First and last transfer | C al | | | |
| S016 | MESSAGE SUBSET IDENTIFICATION | С | N | | |
| 0115 | Message subset identification | Man14 | | | |
| 0116 | Message subset version number | C an3 | | | |
| 0118 | Message subset release number | C an3 | | | |
| 0051 | Controlling agency, coded | C an3 | | | |
| S017 | MESSAGE IMPLEMENTATION GUIDELINE IDENTIFICATION | С | N | | |
| 0121 | Message implementation guideline identification | Man14 | | | |
| 0122 | Message implementation guideline version number | C an3 | | | |
| 0124 | Message implementation | C an3 | | | |

5. Segments Layout

Segment number: 1

| | | EDIFACT | GS1 | * | Description |
|------|---------------------------|---------|-----|---|-------------|
| | guideline release number | | | | |
| 0051 | Controlling agency, coded | C an3 | | | |
| S018 | SCENARIO IDENTIFICATION | С | Ν | | |
| 0127 | Scenario identification | Man14 | | | |
| 0128 | Scenario version number | C an3 | | | |
| 0130 | Scenario release number | C an3 | | | |
| 0051 | Controlling agency, coded | C an3 | | | |

Segment Notes:

This segment is used to head, identify and specify a message.

DE's 0065, 0052, 0054 and 0051: Indicate that the message is a UNSM Multiple Credit Advice message based on the D.01B directory under the control of the United Nations.

Example:

5. Segments Layout

| report 141 = Advising items to be booked to a financial account 342 = Report of transactions for informati only342 = Report of transactions for informati only344 = Report of transactions for informati only345 = Report of transactions for inform the beneficiary of the fact that the items contained in th message have been booked.345 = Report of transactions for inform the beneficiary of items which will be booked accordin dates provided in the B or C level (depending on national practices).3055 = Code list identification codeC an373055 = Code list responsible agency codeC an351000 = Document nameC an351000 = Document identifierC an351004 = Document identifierC an351055 = Version identifierC an351056 = Version identifierC an3611225 = Message function codeC an311225 = Message function codeC an31124 = ReportC an31125 = Message function codeC an31125 = ReportC an31126 = ReportC an31127 = ReportR are portion code1128 = ReportR are porti | BGM | - M 1 - Beginnin | ng of message | | | |
|---|----------|------------------------------------|------------------|-------|----------|--|
| EDIFACT GSI Description C002 DOCUMENT/MESSAGE NAME C R 338 = hems booked to a financial account report 1001 Document name code C an3 R * 338 = hems booked to a financial account report 141 = Advising items to be booked to a financial account 342 = Report of transactions for informati only Note 1: Code value '338' is used to inform the beneficiary of the fact that the items contained in th message have been booked. 1131 Code list identification code C an17 N 3055 Code list identification code C an37 N 1131 Code list identification code C an37 N 3055 Code list responsible agency code C an35 N 1000 Document name C an35 N 1004 Document identifier C an35 N 1004 Document identifier C an3 N 1225 Message function code C an3 N 1225 Message function code C an3 N 1225 Message function code C an3 N | Function | n: | | | | |
| CO02 DOCUMENT/MESSAGE C R 1001 Document name code C an3 R * 338 = Items booked to a financial account report 141 - Advising items to be booked to a financial account 342 = Report of transactions for informati only Note 1: Code value '38' is used to inform the beneficiary of the fact that the items contained in th message have been booked. 1131 Code list identification code C an17 N 1131 Code list identification code C an37 N 1000 Document name C an37 N 1131 Code list identification code C an37 N 1133 Code list identification code C an37 N 1000 Document name C an37 N 1000 Document name C an35 N 1004 Document identifier C an35 N 1004 Document identifier C an3 N 11255 Version identifier C an3 N 1225 Message function code C an3 N 1225 Message function code C an3 N 1225 <t< th=""><th>To indic</th><th>cate the type and function of a me</th><th>ssage and to tra</th><th>ansmi</th><th>t th</th><th>e identifying number.</th></t<> | To indic | cate the type and function of a me | ssage and to tra | ansmi | t th | e identifying number. |
| NAMEImage: Constraint of the second seco | | | EDIFACT | GS1 | * | Description |
| report 141 = Advising items to be booked to a financial account 342 = Report of transactions for informati only342 = Report of transactions for informati only342 = Report of transactions for informati only342 = Report of transactions for information only342 = Report of transactions for inform the beneficiary of the fact that the items contained in th message have been booked.343 = Report of transactions for inform the beneficiary of items which will be booked according on the peneficiary of items which will be booked according on the peneficiary of items which will be booked according on national practices). Note 3: Code value '342' is used to inform the beneficiary of items which will be booked according on national practices). Note 3: Code value '342' is used to inform the beneficiary of items which will be booked according on national practices). Note 3: Code value '342' is used to inform the beneficiary of items which will be booked according on national practices). Note 3: Code value '342' is used to inform the beneficiary of items which will be booked according on | C002 | | С | R | | |
| 1131 Code list identification code C an17 N Image: Code list responsible agency code 3055 Code list responsible agency code C an3 N Image: Code list responsible agency code 1000 Document name C an35 N Image: Code list responsible agency code 1000 Document name C an35 N Image: Code list responsible agency code 1004 Document identifier C an35 R Image: Code list responsible agency code 1004 Document identifier C an35 R Image: Code list responsible agency code 1056 Version identifier C an3 N Image: Code list responsible agency code list responsible agency code 1056 Version identifier C an6 N Image: Code list responsible agency code list responsible agency code list responsible agency code list a critical data 1225 Message function code C an3 R * 7 = Duplicate 1225 Message function code C an3 R * 7 = Duplicate 1225 Message function code C an3 R * 7 = Duplicate 1226 Message function code | 1001 | Document name code | C an3 | R | * | 141 = Advising items to be booked to a financial account 342 = Report of transactions for information only Note 1: Code value '338' is used to inform the beneficiary of the fact that the items contained in this message have been booked. Note 2: Code value '141' is used to inform the beneficiary of items which will be booked according to dates provided in the B or C level (depending on national practices). Note 3: Code value '342' is used to inform the beneficiary at an early stage of items that can not be |
| 1000 Document name C an35 N 1000 Document name C an35 N 1004 Document identifier C an35 R Multiple credit advice number assigned by the document sender. For global unique identification of documents Glob Document Type Identifier (GDTI) is available. 1056 Version identifier C an9 N 1060 Revision identifier C an6 N 1225 Message function code C an3 R * 7 = Duplicate 9 = Original 31 = Copy 1225 Message function code C an3 R * 9 = 0riginal 31 = Copy The message function, code C an3 R 31 = Copy The message. The following definitions apply for restricted codes: 7 = Duplicate - A re-transmission involving the sam parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third p | 1131 | Code list identification code | C an17 | Ν | | |
| C106 DOCUMENT/MESSAGE IDENTIFICATION C R Image: Comparison of the second | 3055 | | C an3 | N | | |
| IDENTIFICATIONIDENTIFICATION1004Document identifierC an35RMultiple credit advice number assigned by the document sender. For global unique identification of documents Glob Document Type Identifier (GDTI) is available.1056Version identifierC an9NIDENTIFICATION1060Revision identifierC an6NIDENTIFICATION1225Message function codeC an3R*7 = Duplicate 9 = Original 31 = Copy1225The message function codeC an3R*7 = Duplicate 9 = Original 31 = Copy1235The message function codeC an3R*7 = Duplicate 9 = Original 31 = Copy1245The message function codeC an3R*31 = Copy1255The message function codeC an3R*31 = Copy1265The message function codeC an3The message function code is a critical data element in this segment. It applies to all data indicat in the message. The following definitions apply for restricted codes: 7 = Duplicate - A re-transmission involving the sam parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third p | 1000 | Document name | C an35 | Ν | | |
| 1056 Version identifier C an9 N 1060 Revision identifier C an6 N 1225 Message function code C an3 R * 7 = Duplicate 9 = Original 31 = Copy 126 The message function code C an3 R * 7 = Duplicate 9 = Original 31 = Copy 128 Message function code C an3 R * 7 = Duplicate 9 = Original 31 = Copy 129 Message function code C an3 R * 7 = Duplicate 9 = Original 31 = Copy 129 The message function, coded is a critical data element in this segment. It applies to all data indicat in the message. The following definitions apply for restricted codes: 7 = Duplicate - A re-transmission involving the sam parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third p | C106 | | С | R | | |
| 1056Version identifierC an9NI1060Revision identifierC an6N1225Message function codeC an3R*7 = Duplicate 9 = Original 31 = Copy1225Message function codeC an3R*7 = Duplicate 9 = Original 31 = CopyThe message function, coded is a critical data element in this segment. It applies to all data indicat in the message. The following definitions apply for restricted codes: 7 = Duplicate - A re-transmission involving the sam parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third p | 1004 | Document identifier | C an35 | R | | document sender. For global unique identification of documents Global |
| 1225 Message function code C an3 R * 7 = Duplicate 9 = Original 31 = Copy The message function, coded is a critical data element in this segment. It applies to all data indicat in the message. The following definitions apply for restricted codes: 7 = Duplicate - A re-transmission involving the sam parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third p | 1056 | Version identifier | C an9 | N | | |
| 9 = Original 31 = Copy The message function, coded is a critical data element in this segment. It applies to all data indicat in the message. The following definitions apply for restricted codes: 7 = Duplicate - A re-transmission involving the sam parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third p | 1060 | Revision identifier | C an6 | N | | |
| tor information purposes. | 1225 | Message function code | C an3 | R | * | 9 = Original 31 = Copy The message function, coded is a critical data element in this segment. It applies to all data indicated in the message. The following definitions apply for the restricted codes: 7 = Duplicate - A re-transmission involving the same parties, on the specific request of the receiver. 9 = Original - An original transmission of a multiple credit advise. 31 = A copy of a multiple credit advice for a third party |
| 4343 Response type code C an3 N | 40.40 | | | NT | \vdash | ioi mormanon purposes. |

5. Segments Layout

Segment Notes:

This segment is used to indicate the type and function of a message and to transmit the identifying number.

Example:

5. Segments Layout

| DTM - C 1 - Date/time/period | | | | | | | | |
|--|--|---------|-----|---|----------------------------------|--|--|--|
| Function | n: | | | | | | | |
| To specify date, and/or time, or period. | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | |
| C507 | DATE/TIME/PERIOD | М | М | | | | | |
| 2005 | Date or time or period function code qualifier | Man3 | М | * | 137 = Document/message date/time | | | |
| 2380 | Date or time or period value | C an35 | R | | | | | |
| 2379 Date or time or period format $C \text{ an3}$ R 102 = CCYYMMDD | | | | | | | | |
| Segment Notes: | | | | | | | | |

DE 2005: Identification of the 'Document/message date/time' (code value 137) is mandatory in an EANCOM message.

Example: DTM+137:20020112:102'

5. Segments Layout

Segment number: 4

| BUS Functio | - C 1 - Business | | | | |
|----------------|---------------------------------------|---------|---|------------|--|
| | | | | . f | - financial manage |
| To prov | vide information related to the pro- | | - | - | _ |
| | | EDIFACT | | * | Description |
| C521 | BUSINESS FUNCTION | C | N | | |
| 4027 | Business function type code qualifier | M an3 | | | |
| 4025 | Business function code | Man3 | | | |
| 1131 | Code list identification code | C an17 | | | |
| 3055 | Code list responsible agency code | C an3 | | | |
| 4022 | Business description | C an70 | | | |
| 3279 | Geographic area code | C an3 | R | * | DO = Domestic IN = International YC4 = European (SWIFT Code) |
| 4487 | Financial transaction type code | C an3 | N | | |
| C551 | BANK OPERATION | С | Ν | | |
| 4383 | Bank operation code | Man3 | | | |
| 1131 | Code list identification code | C an17 | | | |
| 3055 | Code list responsible agency code | C an3 | | | |
| 4463 | Intra-company payment indicator code | C an3 | N | | |

Segment Notes:

This segment is used to indicate whether all of the credits contained in the message are Domestic, European, or International.

Example: BUS++DO'

5. Segments Layout

| SG2 | - C 5 - FII | | | | | | |
|----------|---|------------------|-----|---|---|--|--|
| FII | - M 1 - Financial institution information | | | | | | |
| Function | n: | | | | | | |
| To iden | tify an account and a related finan | cial institution | | | | | |
| | | EDIFACT | GS1 | * | Description | | |
| 3035 | Party function code qualifier | M an3 | Μ | * | MS = Document/message issuer/sender | | |
| C078 | ACCOUNT HOLDER IDENTIFICATION | С | N | | | | |
| 3194 | Account holder identifier | C an35 | | | | | |
| 3192 | Account holder name | C an35 | | | | | |
| 3192 | Account holder name | C an35 | | | | | |
| 6345 | Currency identification code | C an3 | | | | | |
| C088 | INSTITUTION IDENTIFICATION | С | R | | | | |
| 3433 | Institution name code | C an11 | Α | | | | |
| 1131 | Code list identification code | C an17 | 0 | | 25 = Bank identification | | |
| 3055 | Code list responsible agency code | C an3 | D | | 5 = ISO (International Organization for Standardization) | | |
| 3434 | Institution branch identifier | C an17 | 0 | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | |
| 3432 | Institution name | C an70 | 0 | | | | |
| 3436 | Institution branch location name | C an70 | 0 | | | | |
| 3207 | Country name code | C an3 | 0 | | ISO 3166 two alpha code | | |

Segment Notes:

This segment is used to identify the financial institution sending the multiple credit advice.

The preferred way to identify a bank and its branch is in machine readable format using data elements 3433 and 3434. When using C088 it is recommended that if data element 3433 is not used that 3432 be used, and that when data element 3434 is not used that data element 3436 be used.

Example: FII+MS++KREDBEBB:25:5'

5. Segments Layout

| SG3 | - C 3 - NAD | | | | | | |
|----------|--|---------------|--------|----|---|--|--|
| NAD | - M 1 - Name and address | | | | | | |
| Function | n: | | | | | | |
| | ify the name/address and their rela ed by C080 thru 3207. | ted function, | either | by | C082 only and/or unstructured by C058 or | | |
| | | EDIFACT | GS1 | * | Description | | |
| 3035 | Party function code qualifier | M an3 | Μ | * | MR = Message recipient | | |
| C082 | PARTY IDENTIFICATION DETAILS | С | A | | | | |
| 3039 | Party identifier | M an35 | Μ | | For identification of parties it is recommended to use GLN - Format n13. | | |
| 1131 | Code list identification code | C an17 | 0 | | | | |
| 3055 | Code list responsible agency code | C an3 | R | * | $9 = \mathbf{GS1}$ | | |
| C058 | NAME AND ADDRESS | C | 0 | | This composite may only be used to fulfill the requirements of directive 2003/58/EC, article 4. | | |
| 3124 | Name and address description | M an35 | Μ | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | |
| C080 | PARTY NAME | С | D | | | | |
| 3036 | Party name | M an35 | Μ | | Party name in clear text. | | |
| 3036 | Party name | C an35 | 0 | | | | |
| 3036 | Party name | C an35 | 0 | | | | |
| 3036 | Party name | C an35 | 0 | | | | |
| 3036 | Party name | C an35 | 0 | | | | |
| 3045 | Party name format code | C an3 | 0 | | | | |
| C059 | STREET | С | D | | | | |
| 3042 | Street and number or post office box identifier | M an35 | М | | Building Name/Number and Street Name | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | | | |
| 3164 | City name | C an35 | D | | City/Town name, clear text | | |
| C819 | COUNTRY SUB-ENTITY DETAILS | С | D | | | | |
| 3229 | Country sub-entity name code | C an9 | 0 | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | |
| 3055 | Code list responsible agency code | C an3 | 0 | | | | |

5. Segments Layout

Segment number: 6

| | | EDIFACT | GS1 | * | Description | |
|---|----------------------------|---------|-----|---|---------------------------|--|
| 3228 | Country sub-entity name | C an70 | 0 | | County/State, clear text. | |
| 3251 | Postal identification code | C an17 | D | | Postal code | |
| 3207 | Country name code | C an3 | D | | ISO 3166 two alpha code | |
| Segment Notes: | | | | | | |
| This segment is used to identify the recipient of the multiple credit advice message. | | | | | | |
| Example: NAD+MR+5422331123459::9' | | | | | | |

Dependency Notes:

The following composites and data elements are only used when a coded name and address can not be used. The affected composites and data elements are as follows; C080 - C059 - 3164 - C819 - 3251 - 3207

5. Segments Layout

| SG4 - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | |
|--|--|---------|-----|---|--|--|
| LIN | - M 1 - Line item | | | | | |
| Function | n: | | | | | |
| To iden | tify a line item and configuration. | | | | | |
| | | EDIFACT | GS1 | * | Description | |
| 1082 | Line item identifier | C an6 | R | | Application generated number of the count of the lines in the multiple credit advice. | |
| 1229 | Action request/notification description code | C an3 | N | | | |
| C212 | ITEM NUMBER IDENTIFICATION | С | N | | | |
| 7140 | Item identifier | C an35 | | | | |
| 7143 | Item type identification code | C an3 | | | | |
| 1131 | Code list identification code | C an17 | | | | |
| 3055 | Code list responsible agency code | C an3 | | | | |
| C829 | SUB-LINE INFORMATION | С | N | | | |
| 5495 | Sub-line indicator code | C an3 | | | | |
| 1082 | Line item identifier | C an6 | | | | |
| 1222 | Configuration level number | C n2 | N | | | |
| 7083 | Configuration operation code | C an3 | N | Ì | | |

This segment is used to identify a line within the multiple credit advice by means of a unique line number. If Global Trade Item Numbers are available it is mandatory to use GTIN within the LIN segment.

Example: LIN+1'

5. Segments Layout

| SG4 | SG4 - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | |
|------------------------------|---|--------------|--------|------|--|--|--|
| DTM - C 2 - Date/time/period | | | | | | | |
| Function | n: | | | | | | |
| To spec | ify date, and/or time, or period. | | | | | | |
| | | EDIFACT | GS1 | * | Description | | |
| C507 | DATE/TIME/PERIOD | М | Μ | | | | |
| 2005 | Date or time or period function code qualifier | Man3 | М | * | 202 = Posting date 209 = Value date 193 = Execution date | | |
| 2380 | Date or time or period value | C an35 | R | | | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD | | |
| This seg Exampl | t Notes: gment is used to specify the posting e: 209:20020112:102' | and value da | tes fo | r th | e credit instruction. | | |

5. Segments Layout

| BUS | - C 1 - Business | function | | | |
|----------|---------------------------------------|----------------|-------|------|--|
| Function | n: | | | | |
| To prov | ide information related to the pro | cessing and pu | rpose | of a | a financial message. |
| | | EDIFACT | GS1 | * | Description |
| C521 | BUSINESS FUNCTION | С | 0 | | |
| 4027 | Business function type code qualifier | Man3 | М | * | 1 = Underlying business function |
| 4025 | Business function code | M an3 | Μ | | COM = Commission COS = Costs GDS = Purchase and sale of goods INT = Interest NET = Netting PEN = Pension TAX = Tax payment |
| 1131 | Code list identification code | C an17 | 0 | | × • |
| 3055 | Code list responsible agency code | C an3 | D | | $9 = \mathbf{GS1}$ |
| 4022 | Business description | C an70 | 0 | | |
| 3279 | Geographic area code | C an3 | R | * | DO = Domestic IN = International YC4 = European (SWIFT Code) |
| 4487 | Financial transaction type code | C an3 | 0 | * | 1 = Clean payment 4 = Documentary payment 5 = Irrevocable documentary credit 6 = Revocable documentary credit 7 = Irrevocable and transferable documentary credit 8 = Revocable and transferable documentary credit |
| C551 | BANK OPERATION | С | 0 | | · · · · · · · · · · · · · · · · · · · |
| 4383 | Bank operation code | M an3 | М | | CLR = Clearing INT = Interest TRF = Transfer |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | |
| 4463 | Intra-company payment indicator code | C an3 | 0 | * | 1 = Intra-company payment |

Example: BUS+1:INT+DO'

5. Segments Layout

| Function: For specify a monetary amount. EDIFACT GS1 * Description C516 MONETARY AMOUNT M M 5025 Monetary amount type code qualifier M an3 M * 60 = Final (posted) amount 349 = Pending amount to be booked or account (SWIFT Code) | SG4- M9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10MOA- M2 - Monetary amount | | | | | | | | |
|--|--|------------------------------|----------|-----|---|--------------------------------------|--|--|--|
| To specify a monetary amount. EDIFACT GS1 * Description C516 MONETARY AMOUNT M M Image: Colspan="4">Man3 5025 Monetary amount type code qualifier M an3 M * 60 = Final (posted) amount 349 = Pending amount to be booked or account (SWIFT Code) XB5 = Information amount (SWIFT | | | y amount | | | | | | |
| C516MONETARY AMOUNTMM5025Monetary amount type code qualifierM an3M*60 = Final (posted) amount 349 = Pending amount to be booked or account (SWIFT Code) XB5 = Information amount (SWIFT Co5004Monetary amountC n35R6345Currency identification codeC an3AISO 4217 three alpha code | Function | n: | | | | | | | |
| C516MONETARY AMOUNTMM5025Monetary amount type code qualifierM an3M*60 = Final (posted) amount 349 = Pending amount to be booked or account (SWIFT Code) XB5 = Information amount (SWIFT Co5004Monetary amountC n35RI6345Currency identification codeC an3AISO 4217 three alpha code | To spec | ify a monetary amount. | | | | | | | |
| 5025 Monetary amount type code qualifier M an3 M * 60 = Final (posted) amount 349 = Pending amount to be booked or account (SWIFT Code) XB5 = Information amount (SWIFT Code) XB5 = Informatio | | | EDIFACT | GS1 | * | Description | | | |
| 3025 Wonctary amount type code Wall5 Wall5 100 = 1 mar (posted) amount 349 = Pending amount to be booked or account (SWIFT Code) XB5 = Information amount (SWIFT Co 5004 Monetary amount C n35 R 6345 Currency identification code C an3 A ISO 4217 three alpha code | C516 | MONETARY AMOUNT | М | Μ | | | | | |
| 6345 Currency identification code C an3 A ISO 4217 three alpha code | 5025 | • • • • | M an3 | M | * | 349 = Pending amount to be booked on | | | |
| | 5004 | Monetary amount | C n35 | R | | | | | |
| 6343 Currency type code qualifier C an3 N | 6345 | Currency identification code | C an3 | Α | Ì | ISO 4217 three alpha code | | | |
| | 6343 | Currency type code qualifier | C an3 | Ν | 1 | | | | |
| 4405Status description codeC an3O4 = Final5 = Subject to final payment | 4405 | Status description code | C an3 | 0 | | | | | |

Example: MOA+349:50000:EUR'

| SG4 | - M 9999 - LIN-DTM | -BUS-MOA | -SG5- | SC | 6-SG7-SG10 | |
|----------|------------------------------|--------------|---------|-----|--|--|
| SG5 | - M 3 - RFF-DTM | | | | | |
| RFF | - M 1 - Reference | | | | | |
| Function | n: | | | | | |
| To spec | ify a reference. | | | | | |
| | | EDIFACT | GS1 | * | Description | |
| C506 | REFERENCE | М | Μ | | | |
| 1153 | Reference code qualifier | Man3 | М | | ACK = Bank reference The code value 'ACK' is generated by the beneficiary's bank to identify the credit entry. | |
| 1154 | Reference identifier | C an70 | R | | | |
| 1156 | Document line identifier | C an6 | Ν | | | |
| 4000 | Reference version identifier | C an35 | Ν | | | |
| 1060 | Revision identifier | C an6 | Ν | | | |
| This seg | - | umbers relat | ed to t | the | payments contained in the message. | |

| SG4 | - M 9999 - LIN-DTM | -BUS-MOA- | -SG5- | SG | 6-SG7-SG10 | |
|------------------|--|---------------|-------|----|---------------------------|--|
| SG5 | - M 3 - RFF-DTM | | | | | |
| DTM | - C 1 - Date/time/ | period | | | | |
| Function | n: | | | | | |
| To spec | ify date, and/or time, or period. | | | | | |
| | | EDIFACT | GS1 | * | Description | |
| C507 | DATE/TIME/PERIOD | М | Μ | | | |
| 2005 | Date or time or period function code qualifier | M an3 | М | * | 171 = Reference date/time | |
| 2380 | Date or time or period value | C an35 | R | | | |
| 2379 | Date or time or period format code | C an3 | R | * | $102 = \mathbf{CCYYMMDD}$ | |
| Segmen | t Notes: | | | | | |
| • | gment contains data relevant to the r | elated refere | nces | | | |
| 11113 302 | sment contains data relevant to the r | | nees. | | | |
| Example DTM+1 | e: 71:20020112:102' | | | | | |

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SG | 66-SG7-SG10 |
|----------|-------------------------------------|-------------------|--------|-----|--|
| SG6 | - M 1 - FII | | | | |
| FII | - M 1 - Financia | l institution inf | format | ior | 1 |
| Function | n: | | | | |
| To iden | tify an account and a related finan | cial institution | | | |
| | | EDIFACT | GS1 | * | Description |
| 3035 | Party function code qualifier | M an3 | Μ | * | BF = Beneficiary's bank |
| C078 | ACCOUNT HOLDER IDENTIFICATION | С | R | | |
| 3194 | Account holder identifier | C an35 | R | | Account number being credited. |
| 3192 | Account holder name | C an35 | 0 | | |
| 3192 | Account holder name | C an35 | 0 | | |
| 6345 | Currency identification code | C an3 | 0 | | ISO 4217 three alpha |
| C088 | INSTITUTION IDENTIFICATION | С | D | | In some countries it is possible to identify within the account number the institution name and branch. Where this is possible the composite C088 will not be required. For international transactions it is recommended that the need for composite C088 should be checked before sending the message. |
| 3433 | Institution name code | C an11 | 0 | | |
| 1131 | Code list identification code | C an17 | 0 | | 25 = Bank identification |
| 3055 | Code list responsible agency code | C an3 | D | | 5 = ISO (International Organization for Standardization) |
| 3434 | Institution branch identifier | C an17 | 0 | | |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | |
| 3432 | Institution name | C an70 | 0 | | |
| 3436 | Institution branch location name | C an70 | 0 | | |
| 3207 | Country name code | C an3 | 0 | | ISO 3166 two alpha code |

Segment Notes:

This segment is used to identify the financial institution and account information related to the beneficiary for the credit instruction.

The preferred way to identify a bank and its branch is in machine readable format using data elements 3433 and 3434. When using C088 it is recommended that if data element 3433 is not used that 3432 be used, and that when data element 3434 is not used that data element 3436 be used.

Example:

FII+BF+994-3277711:N GEISS+KREDBEBB:25:5'

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SC | 66-SG7-SG10 |
|----------|-----------------------------------|------------------|-------|-----|---|
| SG7 | - C 5 - FCA-MO | DA-SG8 | | | |
| FCA | - M 1 - Financia | l charges alloc | ation | | |
| Function | n: | | | | |
| Descrip | tion of allocation of charges. | | | | |
| | | EDIFACT | GS1 | * | Description |
| 4471 | Settlement means code | M an3 | М | * | 13 = All charges borne by payee 14 = Each pay own cost 15 = All charges borne by payor |
| C878 | CHARGE/ALLOWANCE ACCOUNT | С | 0 | | |
| 3434 | Institution branch identifier | M an17 | Μ | | |
| 1131 | Code list identification code | C an17 | 0 | | 25 = Bank identification 154 = Bank branch sorting identification |
| 3055 | Code list responsible agency code | C an3 | D | | 5 = ISO (International Organization for Standardization) |
| 3194 | Account holder identifier | C an35 | 0 | | If this data element is not used the primary account (i.e. the ordered bank account) specified in the FII segment should be used. The account number quotes here must always be maintained by the bank issuing the message. |
| 6345 | Currency identification code | C an3 | 0 | 1 | ISO 4217 three alpha |
| Segmen | t Notes: | 1 | | • | |
| U | | nd for allocativ | a aba | raa | s and allowances, to a Beneficiary or Payee |
| account | | | | | es should be directed when different to the |

FCA+15+DRESDEFF666:25:5'

5. Segments Layout

| | | I-DUS-MOA | -202- | SG | 6-SG7-SG10 |
|-----------|-------------------------------------|-----------|-------|-----|---|
| SG7 | - C 5 - FCA-MO | A-SG8 | | | |
| MOA | - C 2 - Monetary | amount | | | |
| Function | : | | | | |
| To specif | fy a monetary amount. | | | | |
| | | EDIFACT | GS1 | * | Description |
| C516 | MONETARY AMOUNT | М | М | | |
| | Monetary amount type code qualifier | M an3 | М | * | 23 = Charge amount 25 = Charge/allowance basis 204 = Allowance amount |
| 5004 | Monetary amount | C n35 | R | | |
| 6345 | Currency identification code | C an3 | 0 | | ISO 4217 three alpha code |
| 6343 | Currency type code qualifier | C an3 | Ν | | |
| 4405 | Status description code | C an3 | Ν | | |
| Segment | Notes: | | | | |
| This segr | | | | van | nces and charges related to the credit transaction |

5. Segments Layout

| SG4 | - M 9999 - LIN-DTN | 1-BUS-MOA | -SG5-S | GG6-SG7-SG10 |
|---------------------------------|---|-----------|--------|---|
| SG7 | - C 5 - FCA-MO | A-SG8 | | |
| SG8 | - C 6 - ALC-PCI | D-MOA-CUX | -DTM | -SG9 |
| ALC - M 1 - Allowance or charge | | | | |
| Function | n: | | | |
| To iden | tify allowance or charge details. | | | |
| | | EDIFACT | GS1 | * Description |
| 5463 | Allowance or charge code qualifier | M an3 | М | A = Allowance C = Charge |
| C552 | ALLOWANCE/CHARGE INFORMATION | С | 0 | |
| 1230 | Allowance or charge identifier | C an35 | D | If code '69' is used in DE 5189, the agreement number must be specified in DE 1230. |
| 5189 | Allowance or charge identification code | C an3 | 0 | 1 = Handling commission 13 = Domicilation commission 30 = Bank charges 69 = Charge for a customer specific finish |
| 4471 | Settlement means code | C an3 | Ν | |
| 1227 | Calculation sequence code | C an3 | D | If the allowance or charge is not to be applied against a fixed price then the calculation sequence indicator must be included. |
| C214 | SPECIAL SERVICES IDENTIFICATION | С | N | |
| 7161 | Special service description code | C an3 | | |
| 1131 | Code list identification code | C an17 | | |
| 3055 | Code list responsible agency code | C an3 | | |
| 7160 | Special service description | C an35 | | |
| 7160 | Special service description | C an35 | ÌÌ | |

This segment is used to provide a breakdown of all allowances and charges associated with the transaction.

Example: ALC+C+:1'

| Segment | number: 17 | | | | |
|-------------------|--------------------------------------|---------------|-------|-----|-------------------------------------|
| SG4 | - M 9999 - LIN-DTM | -BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
| SG7 | - C 5 - FCA-MO | A-SG8 | | | |
| SG8 | - C 6 - ALC-PCD | -MOA-CUX | -DTN | 1-S | G9 |
| PCD | - C 1 - Percentage | e details | | | |
| Function | n: | | | | |
| To spec | ify percentage information. | | | | |
| | | EDIFACT | GS1 | * | Description |
| C501 | PERCENTAGE DETAILS | М | Μ | | |
| 5245 | Percentage type code qualifier | Man3 | Μ | | 3 = Allowance or charge |
| 5482 | Percentage | C n10 | R | | |
| 5249 | Percentage basis identification code | C an3 | 0 | | |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | |
| 4405 | Status description code | C an3 | N | | |
| Segmen | t Notes: | • | • | | |
| - | | age to be use | d whe | n c | alculating the allowance or charge. |
| Example PCD+3: | | | | | |

5. Segments Layout

| SG4 | - M | 9999 - LIN-DT | M-BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|-----------------------------|---------------------------|-----------------|-----------|-------|-----|--|
| SG7 | - C | 5 - FCA-M0 | DA-SG8 | | | |
| SG8 | - C | 6 - ALC-PC | D-MOA-CUX | -DTM | 1-S | G9 |
| MOA - C 2 - Monetary amount | | | | | | |
| Function | 1: | | | | | |
| To speci | fy a monetary a | mount. | | | | |
| | | | EDIFACT | GS1 | * | Description |
| C516 | MONETARY | AMOUNT | М | М | | |
| 5025 | Monetary amo qualifier | ount type code | Man3 | Μ | | 8 = Allowance or charge amount25 = Charge/allowance basis |
| 5004 | Monetary amo | ount | C n35 | R | | |
| 6345 | Currency iden | tification code | C an3 | 0 | | |
| 6343 | Currency type | code qualifier | C an3 | N | | |
| 4405 | Status descript | tion code | C an3 | Ν | | |
| Segment | t Notes: | | - | 1 | | |

Example: MOA+8:1400'

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SC | 66-SG7-SG10 | | | | |
|---------|--|----------------|---------|------|--|--|--|--|--|
| SG7 | - C 5 - FCA-MO | DA-SG8 | | | | | | | |
| SG8 | - C 6 - ALC-PC | D-MOA-CUX | DTN | 1-S | G9 | | | | |
| CUX | - C 1 - Currenci | es | | | | | | | |
| Functio | n: | | | | | | | | |
| To spec | ify currencies used in the transaction | ion and releva | nt deta | ails | for the rate of exchange. | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| C504 | CURRENCY DETAILS | С | R | | | | | | |
| 6347 | Currency usage code qualifier | M an3 | М | * | 2 = Reference currency The second occurrence of this composite is only used if a target currency is being specified. | | | | |
| 6345 | Currency identification code | C an3 | R | | ISO 4217 three alpha | | | | |
| 6343 | Currency type code qualifier | C an3 | R | * | 11 = Payment currency | | | | |
| 6348 | Currency rate value | C n4 | D | | | | | | |
| C504 | CURRENCY DETAILS | С | D | | | | | | |
| 6347 | Currency usage code qualifier | Man3 | Μ | * | 3 = Target currency | | | | |
| 6345 | Currency identification code | C an3 | R | | ISO 4217 three alpha | | | | |
| 6343 | Currency type code qualifier | C an3 | R | * | 4 = Invoicing currency 17 = Charge calculation currency | | | | |
| 6348 | Currency rate value | C n4 | D | | These data elements are only used when a rate of exchange is provided in data element 5402. When a rate of exchange is provided then at least one currency rate base must be specified. | | | | |
| 5402 | Currency exchange rate | C n12 | D | | The rate of exchange which applies to the currency. The rate of exchange is only used if a target currency has been identified in the second occurrence of C504. | | | | |
| 6341 | Exchange rate currency market identifier | C an3 | N | | | | | | |

Segment Notes:

This segment is used to provide the exchange rate related to the allowances or charges.

The CUX segment is mandatory for international exchanges.

When specifying Reference and Target Currencies for international trade, one occurrence of CUX is all that is required. The reference currency is identified in the first occurrence of composite C504, with the target currency specified in the second occurrence of C504. The rate of exchange between the two is detailed in DE 5402. The general rule for calculating rate of exchange is as follows; Reference Currency multiplied by Rate = Target Currency.

Reference Currency multiplied by Rate = Target C

Example:

CUX+2:EUR:11+3:USD:4+0.90243'

For an international transaction, the payment currency is identified as being Euro with the Invoicing currency as US Dollar. The rate of exchange between the two is 0.90243 Euro to 1 US Dollar.

5. Segments Layout

| G4 | - M 9999 - LIN-DTM | I-BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|---------|-----------------------------------|-----------|-------|-----|--|
| 5G7 | - C 5 - FCA-MO | A-SG8 | | | |
| SG8 | - C 6 - ALC-PCI | D-MOA-CUX | DTM | 1-S | G9 |
| DTM | - C 1 - Date/time | /period | | | |
| Functio | | 1 | | | |
| | ify date, and/or time, or period. | | | | |
| TO spec | ity date, and/or time, or period. | | CG1 | * | Desistant |
| | | EDIFACT | | ** | Description |
| C507 | DATE/TIME/PERIOD | М | Μ | | |
| 2005 | Date or time or period function | Man3 | Μ | * | 134 = Rate of exchange date/time |
| | code qualifier | | | | 211 = 360/30 |
| | | | | | 212 = 360/28-31 |
| | | | | | 213 = 365-6/30 |
| | | | | | 214 = 365-6/28-31 |
| | | | | | 215 = 365/28-31 |
| | | | | | 216 = 365/30 |
| | | | | | 273 = Validity period |
| | | | | | Code 211 - Calculation is based on year of 360 days, |
| | | | | | month of 30 days. |
| | | | | | Code 212 - Calculation is based on year of 360 days, |
| | | | | | month of 28-31 days. |
| | | | | | Code 213 - Calculation is based on year of 365-6 |
| | | | | | days, month of 30 days. |
| | | | | | Code 214 - Calculation is based on year of 365-6 |
| | | | | | days, month of 28-31 days. |
| | | | | | Code 215 - Calculation is based on year of 365 days, |
| | | | | | month of 28-31 days. |
| | | | | | Code 216 - Calculation is based on year of 365 days, month of 30 days. |
| 2380 | Date or time or period value | C an35 | R | | |
| | * | | | | |
| 2379 | Date or time or period format | C an3 | R | | 102 = CCYYMMDD |
| | code | | | | 107 = DDD |
| | | | | | 718 = CCYYMMDD-CCYYMMDD |

This segment is used to specify the date on which a rate of exchange was quoted.

Example: DTM+134:20020601:102'

5. Segments Layout

| SG4 | 4 - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------|--|-------------|--------|--|--|--|--|--|--|
| SG7 | - C 5 - FCA-MO | A-SG8 | | | | | | | |
| SG8 | - C 6 - ALC-PCI | D-MOA-CUX | C-DTM- | SG9 | | | | | |
| SG9 | - C 5 - TAX-MC |)A | | | | | | | |
| TAX | - M 1 - Duty/tax/ | fee details | | | | | | | |
| Functio | n: | | | | | | | | |
| To spec | cify relevant duty/tax/fee information | on. | | | | | | | |
| | | EDIFACT | GS1 * | Description | | | | | |
| 5283 | Duty or tax or fee function code qualifier | M an3 | М | 5 = Customs duty 6 = Fee 7 = Tax | | | | | |
| C241 | DUTY/TAX/FEE TYPE | С | D | | | | | | |
| 5153 | Duty or tax or fee type name code | C an3 | 0 | GST = Goods and services tax OTH = Other taxes VAT = Value added tax | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5152 | Duty or tax or fee type name | C an35 | 0 | | | | | | |
| C533 | DUTY/TAX/FEE ACCOUNT DETAIL | С | 0 | | | | | | |
| 5289 | Duty or tax or fee account code | Man6 | М | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5286 | Duty or tax or fee assessment basis value | C an15 | 0 | | | | | | |
| C243 | DUTY/TAX/FEE DETAIL | С | Α | | | | | | |
| 5279 | Duty or tax or fee rate code | C an7 | 0 | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5278 | Duty or tax or fee rate | C an17 | R | The actual rate of tax/duty. | | | | | |
| 5273 | Duty or tax or fee rate basis code | C an12 | 0 | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5305 | Duty or tax or fee category code | C an3 | D | A = Mixed tax rate E = Exempt from tax S = Standard rate | | | | | |
| 3446 | Party tax identifier | C an20 | 0 | | | | | | |
| 1227 | Calculation sequence code | C an3 | Ν | | | | | | |

This segment is used to specify any taxes associated with the allowances and charges.

5. Segments Layout

Segment number: 21

Example: TAX+7+VAT+++:::18.5+S'

Dependency Notes: DE C241 and 5305: Tax types and categories will vary from country to country. They should be defined by national guidelines.

5. Segments Layout

| Segment | number: 22 | | | | | | | | | |
|-------------------------------------|---|-----------------|---------|-----|---|---|--|--|--|--|
| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | | |
| SG7 | - C | 5 - FCA-MOA-SG8 | | | | | | | | |
| SG8 | - C 6 - ALC-PCD-MOA-CUX-DTM-SG9 | | | | | | | | | |
| SG9 | G9 - C 5 - TAX-MOA | | | | | | | | | |
| MOA | MOA - C 2 - Monetary amount | | | | | | | | | |
| Function: | | | | | | | | | | |
| To spec | ify a monetary | amount. | | | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | | | |
| C516 | MONETARY | AMOUNT | М | Μ | | | | | | |
| 5025 Monetary amount type code Man3 | | | | | | 55 = Duty amount 56 = Duty/tax/fee basis amount 161 = Duty, tax or fee amount | | | | |
| 5004 | Monetary amo | ount | C n35 | R | | | | | | |

| | qualifier | | | 56 = Duty/tax/fee basis amount |
|--------|------------------------------|-------|---|--------------------------------|
| | | | | 161 = Duty, tax or fee amount |
| 5004 | Monetary amount | C n35 | R | |
| 6345 | Currency identification code | C an3 | 0 | |
| 6343 | Currency type code qualifier | C an3 | Ν | |
| 4405 | Status description code | C an3 | Ν | |
| Segmen | t Notes: | | | |

This segment is used to indicate the tax or duty amount for the tax rates specified in the previous TAX segment.

Example:

MOA+55:6500'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|----------|---|-------------|-----|---|---|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SEQ | - M 1 - Sequence details | | | | | | | | |
| Function | n: | | | | | | | | |
| To prov | ide details relating to the sequence | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| 1229 | Action request/notification description code | C an3 | N | | | | | | |
| C286 | SEQUENCE INFORMATION | С | R | | | | | | |
| 1050 | Sequence position identifier | M an10 | М | | | | | | |
| 1159 | Sequence identifier source code | C an3 | N | | | | | | |
| 1131 | Code list identification code | C an17 | Ν | ĺ | | | | | |
| 3055 | Code list responsible agency code | C an3 | N | | | | | | |
| Segmen | t Notes: | | 1 | | | | | | |
| This seg | gment is used to identify the start of | mber. The s | | | ndividual transactions (level C) by means of a number should be reset to one for each | | | | |
| Example | | | | | | | | | |

SEQ++1'

| SG4 | • M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------------------------|--|-----------|----------------|---|---|--|--|--|--|
| SG10 | G10 - M 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| DTM | TM - C 3 - Date/time/period | | | | | | | | |
| Function | n: | | | | | | | | |
| To spec | ify date, and/or time, or period. | | | | | | | | |
| EDIFACT GS1 * Description | | | | | | | | | |
| C507 | DATE/TIME/PERIOD | М | Μ | | | | | | |
| 2005 | Date or time or period function code qualifier | M an3 | М | * | 193 = Execution date 202 = Posting date 209 = Value date 417 = Previous booking date/time Code value '193' is taken from the original payment order and reported back by the bank to the beneficiary. | | | | |
| 2380 | Date or time or period value | C an35 | R | | | | | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD | | | | |
| Segmen | t Notes: | | | | | | | | |
| | | 1 4 a f a | 00 nr 0 | | led in the previous segment. | | | | |

| 5G4 | - M 9999 - LIN-DT | | | | |
|----------|--|-------------------|---------|-----|--|
| SG10 | - | | GII-3 | SG. | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| BUS | - C 1 - Business | function | | | |
| Function | | • • | | c | ~ · 1 |
| To prov | vide information related to the pro- | | - | 1 | _ |
| | | EDIFACT | GS1 | * | 1 |
| C521 | BUSINESS FUNCTION | С | 0 | | The values reported in this composite data element are taken by the bank from the original payment order and reported back to the beneficiary. |
| 4027 | Business function type code qualifier | M an3 | Μ | * | 1 = Underlying business function |
| 4025 | Business function code | M an3 | Μ | | COM = Commission COS = Costs GDS = Purchase and sale of goods INT = Interest NET = Netting TAX = Tax payment |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | $9 = \mathbf{GS1}$ |
| 4022 | Business description | C an70 | 0 | | |
| 3279 | Geographic area code | C an3 | R | * | DO = Domestic IN = International YC4 = European (SWIFT Code) |
| 4487 | Financial transaction type code | C an3 | 0 | * | 1 = Clean payment 4 = Documentary payment 5 = Irrevocable documentary credit 6 = Revocable documentary credit 7 = Irrevocable and transferable documentary credit 8 = Revocable and transferable documentary credit |
| C551 | BANK OPERATION | С | 0 | | |
| 4383 | Bank operation code | Man3 | М | | CLR = Clearing INT = Interest TRF = Transfer |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | |
| 4463 | Intra-company payment indicator code | C an3 | 0 | * | 1 = Intra-company payment |
| This seg | it Notes: gment is used to identify the chara e: :INT+DO' | cteristics of the | e indiv | vid | ual credit transactions. |

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SC | 36-SG7-SG10 | | | | |
|----------|---|------------------|-------|----|--|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| FII | - M 2 - Financial institution information | | | | | | | | |
| Function | n: | | | | | | | | |
| To iden | tify an account and a related finan | cial institution | | | | | | | |
| | · | EDIFACT | GS1 | * | Description | | | | |
| 3035 | Party function code qualifier | M an3 | М | * | BF = Beneficiary's bank | | | | |
| | | | | | I1 = Intermediary bank 1 | | | | |
| | | | | | OR = Ordered bank | | | | |
| C078 | ACCOUNT HOLDER IDENTIFICATION | С | R | | | | | | |
| 3194 | Account holder identifier | C an35 | R | | Beneficiary account number. | | | | |
| 3192 | Account holder name | C an35 | 0 | | | | | | |
| 3192 | Account holder name | C an35 | 0 | Ì | | | | | |
| 6345 | Currency identification code | C an3 | 0 | Ì | ISO 4217 three alpha | | | | |
| C088 | INSTITUTION IDENTIFICATION | C | D | | In some countries it is possible to identify within the account number the institution name and branch. Where this is possible the composite C088 will not be required. For international transactions it is recommended that the need for composite C088 should be checked before sending the message. | | | | |
| 3433 | Institution name code | C an11 | 0 | Ì | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | 25 = Bank identification | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | 5 = ISO (International Organization for Standardization) | | | | |
| 3434 | Institution branch identifier | C an17 | 0 | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 3432 | Institution name | C an70 | 0 | | | | | | |
| 3436 | Institution branch location name | C an70 | 0 | | | | | | |
| 3207 | Country name code | C an3 | 0 | | ISO 3166 two alpha code | | | | |

Segment Notes:

This segment is used to identify the financial institution and account number(s) related to the current transaction. The preferred way to identify a bank and its branch is in machine readable format using data elements 3433 and 3434. When using C088 it is recommended that if data element 3433 is not used that 3432 be used, and that when data element 3434 is not used that data element 3436 be used.

Example:

FII+BF+994-3277711:N GEISS+KREDBEBB:25:5'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------|--|---------|-----|---|---|--|--|--|--|
| SG10 | 10 - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG11 | - 11 - C 5 - RFF-DTM | | | | | | | | |
| RFF | - M 1 - Reference | e | | | | | | | |
| Functio | n: | | | | | | | | |
| To spec | rify a reference. | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| C506 | REFERENCE | М | Μ | | | | | | |
| 1153 | Reference code qualifier | M an3 | Μ | | AIK = Bank's individual transaction reference number RA = Remittance advice number CR = Customer reference number Note 1: The code value 'AIK' is used by the sending bank to uniquely identify each individual credit entry. Note 2: When the code value 'RA' is used in this segment it will always relate to an external remittance advice which has been issued by the ordering party and communicated directly between two trading partners. It is recommended that only one remittance advice be specified per level C. Note 3: By use of qualifier CR the reference is taken from PAYMUL. | | | | |
| 1154 | Reference identifier | C an70 | R | | | | | | |
| 1156 | Document line identifier | C an6 | Ν | | | | | | |
| | Reference version identifier | C an35 | Ν | | | | | | |
| 4000 | | C an6 | Ν | 1 | | | | | |

Example: RFF+AIK:855144'

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|--|---|--------------------------|----------------|--------|------|---------------------------|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG11 | - C 5 - RFF-DTM | | | | | | | | |
| DTM | - C | 1 - Date/time/ | /period | | | | | | |
| Function: | | | | | | | | | |
| To specify date, and/or time, or period. | | | | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | | |
| C507 | DATE/TIM | E/PERIOD | М | Μ | | | | | |
| 2005 | Date or time code qualifi | or period function er | Man3 | М | * | 171 = Reference date/time | | | |
| 2380 | Date or time | or period value | C an35 | R | | | | | |
| 2379 | Date or time code | or period format | C an3 | R | | 102 = CCYYMMDD | | | |
| Segmen | t Notes: | | | • | • | | | | |
| - | | to specify dates releva | ant to the ben | eficia | ry's | side of the credit entry. | | | |
| Example: DTM+171:20020115:102' | | | | | | | | | |

| SG4 | - M 9999 - LIN-DTM | I-BUS-MOA | -SG5- | SG | 6-SG7-SG10 | | | | |
|---------------------|--|-----------|-------|----|---|--|--|--|--|
| SG10 | - M 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG12 | - C 1 - PAI | | | | | | | | |
| PAI | - M 1 - Payment instructions | | | | | | | | |
| Function | n: | | | | | | | | |
| To spec | ify the instructions for payment. | | | | | | | | |
| | · · · · · · | EDIFACT | GS1 | * | Description | | | | |
| C534 | PAYMENT INSTRUCTION DETAILS | М | М | | | | | | |
| 4439 | Payment conditions code | C an3 | N | | | | | | |
| 4431 | Payment guarantee means code | C an3 | N | | | | | | |
| 4461 | Payment means code | C an3 | 0 | | | | | | |
| 1131 | Code list identification code | C an17 | Ο | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 4435 | Payment channel code | C an3 | R | | 2 = Air mail 4 = Telex 5 = S.W.I.F.T. 8 = Fedwire 9 = Personal (face-to-face) 10 = Registered air mail | | | | |
| Segmen | t Notes: | | | | | | | | |
| This seg | | | | | been used. It is recommended that this teen trading partners. | | | | |
| Example PAI+:::: | | | | | | | | | |

5. Segments Layout

| 5G4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|----------|--|---------|-----|---|--|--|--|--|--|
| SG10 | 10 - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG13 | 13 - M 4 - MOA-CUX-DTM-RFF | | | | | | | | |
| MOA | A - M 1 - Monetary amount | | | | | | | | |
| Function | n: | | | | | | | | |
| To spec | ify a monetary amount. | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| C516 | MONETARY AMOUNT | М | Μ | | | | | | |
| 5025 | Monetary amount type code qualifier | M an3 | Μ | * | 36 = Converted amount 60 = Final (posted) amount 98 = Original amount 119 = Received amount 349 = Pending amount to be booked on account (SWIFT Code) XB5 = Information amount (SWIFT Code) | | | | |
| 5004 | Monetary amount | C n35 | R | | | | | | |
| 6345 | Currency identification code | C an3 | 0 | | ISO 4217 three alpha code | | | | |
| 6343 | Currency type code qualifier | C an3 | Ν | | | | | | |
| 4405 | Status description code | C an3 | 0 | | 4 = Final5 = Subject to final payment | | | | |
| Segmen | t Notes: | | | | | | | | |
| This seg | | | | | e or has been credited to the beneficiary's | | | | |

Example: MOA+349:8000'

| SG4 | - M 9999 - LIN-DTM | -BUS-MOA | -SG5- | SG | 66-SG7-SG10 | | | | | | | |
|--|--|--------------|--------|------|----------------------------------|--|--|--|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM | I-BUS-FII-S | G11-S | SG | 12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | |
| SG13 | - M 4 - MOA-CUX-DTM-RFF | | | | | | | | | | | |
| CUX | - C 1 - Currencies | | | | | | | | | | | |
| Function | Function: | | | | | | | | | | | |
| To specify currencies used in the transaction and relevant details for the rate of exchange. | | | | | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | | | | |
| C504 | CURRENCY DETAILS | С | R | | | | | | | | | |
| 6347 | Currency usage code qualifier | Man3 | М | * | 2 = Reference currency | | | | | | | |
| 6345 | Currency identification code | C an3 | R | | ISO 4217 three alpha | | | | | | | |
| 6343 | Currency type code qualifier | C an3 | Ν | | | | | | | | | |
| 6348 | Currency rate value | C n4 | D | | | | | | | | | |
| C504 | CURRENCY DETAILS | С | D | | | | | | | | | |
| 6347 | Currency usage code qualifier | Man3 | Μ | * | 3 = Target currency | | | | | | | |
| 6345 | Currency identification code | C an3 | R | | ISO 4217 three alpha | | | | | | | |
| 6343 | Currency type code qualifier | C an3 | Ν | | | | | | | | | |
| 6348 | Currency rate value | C n4 | D | | | | | | | | | |
| 5402 | Currency exchange rate | C n12 | D | | | | | | | | | |
| 6341 | Exchange rate currency market identifier | C an3 | N | | | | | | | | | |
| Segmen | t Notes: | | | | | | | | | | | |
| This seg | gment is used to identify the source | currency and | the ta | arge | et currency of the transaction. | | | | | | | |
| | Example: CUX+2:EUR+3:USD:0.90243' | | | | | | | | | | | |

| Segment | number: 32 | | | | |
|------------------|--|---------------|--------|-----|--|
| SG4 | - M 9999 - LIN-DTM | -BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
| SG10 | - M 999999 - SEQ-DTM | -BUS-FII-S | G11-S | GG1 | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG13 | - M 4 - MOA-CUX | K-DTM-RFF | 7 | | |
| DTM | - C 2 - Date/time/j | period | | | |
| Function | n: | | | | |
| To spec | ify date, and/or time, or period. | | | | |
| | | EDIFACT | GS1 | * | Description |
| C507 | DATE/TIME/PERIOD | М | Μ | | |
| 2005 | Date or time or period function code qualifier | Man3 | М | * | 134 = Rate of exchange date/time171 = Reference date/time |
| 2380 | Date or time or period value | C an35 | R | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD |
| Segmen | t Notes: | | • | | |
| • | | nt to the pre | ceding | g m | onetary amount or the following reference. |
| Example DTM+1 | e: 71:20020115:102' | | | | |

| SG4 | - M | 9999 - LIN-DT | M-BUS-MOA- | -SG5- | SG | 6-SG7-SG10 |
|-----------|----------------|-------------------|-------------|-------|-----|--|
| SG10 | - M | 99999 - SEQ-DT | M-BUS-FII-S | G11-S | SG1 | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG13 | - M | 4 - MOA-C | UX-DTM-RFF | 7 | | |
| RFF | - C | 1 - Reference | ce | | | |
| Function | : | | | | | |
| To specif | fy a reference | 2. | | | | |
| | | | EDIFACT | GS1 | * | Description |
| C506 | REFERENC | E | М | Μ | | |
| 1153 | Reference co | ode qualifier | M an3 | М | * | ACX = Banker's acceptance ADB = Matured certificate of deposit ADC = Loan FX = Foreign exchange contract number |
| 1154 | Reference id | lentifier | C an70 | R | | |
| 1156 | Document li | ne identifier | C an6 | Ν | | |
| 4000 | Reference ve | ersion identifier | C an35 | Ν | | |
| 1060 | Revision ide | ntifier | C an6 | Ν | | |
| Segment | Notes: | | | | een | the beneficiary (or payee) and the beneficiary's |

| SG4 | - M 9999 - LIN-DTM | I-BUS-MOA | -SG5- | SG | i6-SG7-SG10 |
|----------|---|-----------------|--------|-----|---|
| SG10 | - M 99999 - SEQ-DTM | A-BUS-FII-S | G11-S | SGI | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG14 | - C 3 - NAD-CT. | A-COM | | | |
| NAD | - M 1 - Name and | l address | | | |
| Function | n: | | | | |
| To spec | ify the name/address and their relat | ted function, e | either | by | C082 only and/or unstructured by C058 or |
| | ed by C080 thru 3207. | | | - | |
| | | EDIFACT | GS1 | * | Description |
| 3035 | Party function code qualifier | M an3 | М | | OY = Ordering customer P1 = Contact party 1 PL = Payor |
| C082 | PARTY IDENTIFICATION DETAILS | С | A | | |
| 3039 | Party identifier | M an35 | М | | For identification of parties it is recommended to use GLN - Format n13. |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | R | * | $9 = \mathbf{GS1}$ |
| C058 | NAME AND ADDRESS | С | 0 | | This composite may only be used to fulfill the requirements of directive 2003/58/EC, article 4. |
| 3124 | Name and address description | M an35 | Μ | | |
| 3124 | Name and address description | C an35 | 0 | | |
| 3124 | Name and address description | C an35 | 0 | | |
| 3124 | Name and address description | C an35 | 0 | | |
| 3124 | Name and address description | C an35 | 0 | | |
| C080 | PARTY NAME | С | D | | |
| 3036 | Party name | M an35 | Μ | | Party name in clear text. |
| 3036 | Party name | C an35 | 0 | ĺ | |
| 3036 | Party name | C an35 | 0 | | |
| 3036 | Party name | C an35 | 0 | | |
| 3036 | Party name | C an35 | 0 | | |
| 3045 | Party name format code | C an3 | 0 | | |
| C059 | STREET | С | D | | |
| 3042 | Street and number or post office box identifier | M an35 | М | | Building Name/Number and Street Name |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | |
| 3164 | City name | C an35 | D | | City/Town name, clear text |
| C819 | COUNTRY SUB-ENTITY DETAILS | C | D | | |
| 3229 | Country sub-entity name code | C an9 | 0 | | |

5. Segments Layout

Segment number: 34

| | | EDIFACT | GS1 | * | Description |
|------|-----------------------------------|---------|-----|---|---------------------------|
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | 0 | | |
| 3228 | Country sub-entity name | C an70 | 0 | | County/State, clear text. |
| 3251 | Postal identification code | C an17 | D | | Postal code |
| 3207 | Country name code | C an3 | D | | ISO 3166 two alpha code |

Segment Notes:

This segment is used to identify the ordering customer of the credit instruction.

Example: NAD+OY+++TOWER PACKAGING LTD' NAD+OY+7591234123458::9'

Dependency Notes:

The following composites and data elements are only used when a coded name and address can not be used. The affected composites and data elements are as follows; C080 - C059 - 3164 - C819 - 3251 - 3207

| Segment | | | | | |
|-----------------|-------------------------------------|----------------|---------|------|--|
| SG4 | - M 9999 - LIN-DTM | I-BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
| SG10 | - M 99999 - SEQ-DTM | A-BUS-FII-S | G11-S | G | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG14 | - C 3 - NAD-CT. | A-COM | | | |
| СТА | - C 1 - Contact in | formation | | | |
| Function | n: | | | | |
| To iden | tify a person or a department to wh | om communi | cation | sh | ould be directed. |
| | | EDIFACT | GS1 | * | Description |
| 3139 | Contact function code | C an3 | R | | IC = Information contact |
| C056 | DEPARTMENT OR EMPLOYEE DETAILS | C | 0 | | |
| 3413 | Department or employee name code | C an17 | 0 | | |
| 3412 | Department or employee name | C an35 | 0 | | |
| Segmen | t Notes: | • | | • | |
| • | | tails relevant | for the | e pa | arty identified in the previous NAD segment. |
| Exampl CTA+I | e: C+:T. WRIGHT' | | | | |

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|---------|----------------------------------|-----------------|-------|-----|---|
| SG10 | - M 999999 - SEQ-D | M-BUS-FII-S | G11-S | GG1 | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG14 | - C 3 - NAD-C | ГА-СОМ | | | |
| СОМ | - C 5 - Commu | nication contac | t | | |
| Functio | n: | | | | |
| To iden | tify a communication number of a | a department or | a per | son | to whom communication should be directed. |
| | | EDIFACT | GS1 | * | Description |
| C076 | COMMUNICATION CONTACT | М | М | | |
| 3148 | Communication address identifier | M an512 | М | | |
| | Communication address code | Man3 | М | | CA = Cable address EI = EDI |

Example: COM+003212187674:FX'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM | -BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|----------|--|----------------|-------|----|---|
| SG10 | - M 999999 - SEQ-DTM | I-BUS-FII-S | G11-S | GI | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG15 | - C 3 - INP-FTX- | DTM | | | |
| INP | - M 1 - Parties and | l instruction | | | |
| Function | n: | | | | |
| To spec | ify parties to an instruction, the inst | ruction, or be | oth. | | |
| | | EDIFACT | GS1 | * | Description |
| C849 | PARTIES TO INSTRUCTION | С | Α | | |
| 3301 | Enacting party identifier | M an35 | М | | 3 = Beneficiary's bank |
| 3285 | Instruction receiving party identifier | C an35 | 0 | | 4 = Beneficiary 5 = Contact party 1 |
| C522 | INSTRUCTION | С | 0 | | |
| 4403 | Instruction type code qualifier | Man3 | М | | 1 = Action required |
| 4401 | Instruction description code | C an3 | 0 | | AD = Advise AP = Advise by phone AJ = Advise by fax (SWIFT Code) EX = Expedite |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | |
| 4400 | Instruction description | C an35 | Ν | | |
| C850 | STATUS OF INSTRUCTION | С | N | | |
| 4405 | Status description code | Man3 | | | |
| 3036 | Party name | C an35 | | | |
| 1229 | Action request/notification description code | C an3 | N | | |
| | | • | • | | |

Segment Notes:

This segment is used to identify the party who must carry out an instruction from the ordering customer, and the party to whom the instruction is intended.

DE's 3301 and 3285: As these data elements are being used to provide coded information it is recommended that their format and length be restricted to an..3.

Example: INP+3:4+1:AP'

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SG | 36-SG7-SG10 |
|---------|-------------------------------------|-------------|-------|----|---|
| SG10 | - M 999999 - SEQ-DT | M-BUS-FII-S | G11-S | G | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG15 | - C 3 - INP-FT | X-DTM | | | |
| FTX | - C 1 - Free tex | t | | | |
| Functio | n: | | | | |
| To prov | vide free form or coded text inform | nation. | | | |
| | | EDIFACT | GS1 | * | Description |
| 4451 | Text subject code qualifier | M an3 | Μ | | AAG = Party instructions |
| 4453 | Free text function code | C an3 | Ν | | |
| C107 | TEXT REFERENCE | С | D | | This composite is only used when trading partners have agreed to use mutually defined code values. |
| 4441 | Free text value code | M an17 | Μ | | Coded reference to standard text between partners. |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | 86 = Assigned by party originating the message |
| C108 | TEXT LITERAL | С | D | | This composite is only used if coded text can not be used. |
| 4440 | Free text value | Man512 | Μ | | |
| 4440 | Free text value | C an512 | 0 | | |
| 4440 | Free text value | C an512 | 0 | | |
| 4440 | Free text value | C an512 | 0 | | |
| 4440 | Free text value | C an512 | 0 | | |
| 3453 | Language name code | C an3 | D | | ISO 639 two alpha code. This data element is only used when non coded free text has been provided in data element C108. |
| 4447 | Free text format code | C an3 | Ν | | |

Segment Notes:

This segment is used to provide additional coded or free text instructions to those provided in the INP segment. Use of this segment in free form is not recommended since in most cases it inhibits automatic processing of the multiple credit advice. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission and processing overheads. Standard texts should be mutually defined among trading partners and can be used to cover legal and other requirements.

Example: FTX+AAG+++FUNDS TRANSFERRED TO NUMBER 1 ACCOUNT'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM | I-BUS-MOA | -SG5- | SG | 6-SG7-SG10 | |
|----------|---|---------------|--------|----|--|--|
| SG10 | - M 99999 - SEQ-DTM | A-BUS-FII-S | G11-S | G | 2-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG15 | - C 3 - INP-FTX | -DTM | | | | |
| DTM | - C 1 - Date/time | /period | | | | |
| Function | n: | - | | | | |
| To spec | ify date, and/or time, or period. | | | | | |
| - | · • | EDIFACT | GS1 | * | Description | |
| C507 | DATE/TIME/PERIOD | М | М | | | |
| 2005 | Date or time or period function code qualifier | M an3 | М | | 174 = Advise after date/time 175 = Advise before date/time 176 = Advise completed date/time 177 = Advise on date/time | |
| 2380 | Date or time or period value | C an35 | R | | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD | |
| Segmen | t Notes: | | • | | | |
| This seg | gment is used to specify the earliest | and latest da | tes by | wł | the instructions must be carried out. | |
| | e: 75:200206171000:203' before 10am on the 17th of June 20 | 002 | | | | |

5. Segments Layout

| - M 99999 - LIN-DTM | M-BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|---------------------------------------|--|---|---|--|
| - M 99999 - SEQ-DT | M-BUS-FII-S | G11-S | SGI | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| - C 10 - GIS-MO. | A-LOC-NAD- | -RCS- | FT | X |
| - M 1 - General i | ndicator | | | |
| n: | | | | |
| smit a processing indicator. | | | | |
| segment will be removed effective | with directory | y D.02 | 2B. | |
| | EDIFACT | GS1 | * | Description |
| PROCESSING INDICATOR | М | Μ | | |
| Processing indicator description code | M an3 | М | | 10 = Declaration requested37 = Complete information |
| Code list identification code | C an17 | 0 | | |
| Code list responsible agency code | C an3 | D | | |
| Process type description code | C an17 | Ν | | |
| t Notes: | | | | |
| | | | | |
| | M 99999 - SEQ-DT C 10 - GIS-MO M 1 - General i m: smit a processing indicator. Segment will be removed effective PROCESSING INDICATOR Processing indicator description code Code list identification code Code list responsible agency code Process type description code t Notes: | M 99999 - SEQ-DTM-BUS-FII-S C 10 - GIS-MOA-LOC-NAD - M 1 - General indicator m: smit a processing indicator. segment will be removed effective with directory EDIFACT PROCESSING INDICATOR M Processing indicator description code C an17 Code list identification code C an3 Process type description code C an17 t Notes: | - M 999999 - SEQ-DTM-BUS-FII-SG11-S - C 10 - GIS-MOA-LOC-NAD-RCS - M 1 - General indicator n: smit a processing indicator. segment will be removed effective with directory D.02 PROCESSING INDICATOR M Processing indicator Man3 description code C an17 Code list identification code C an3 Process type description code C an17 Notes: Version | - M99999 - SEQ-DTM-BUS-FII-SG11-SG- C10 - GIS-MOA-LOC-NAD-RCS-FT- M1 - General indicatorn:smit a processing indicator.segment will be removed effective with directory D.02B.Segment will be removed effective with directory D.02B.PROCESSING INDICATORMMMProcessing indicatorM an3description codeC an17Code list identification codeC an3DCode list responsible agency codeProcess type description codeC an17NN |

Example: GIS+10'

5. Segments Layout

| SG4 | - M | 9999 - LIN-DT | M-BUS-MOA | -SG5- | SG | 66-SG7-SG10 |
|----------|-----------------------|-------------------|-------------|-------|-----|----------------------------------|
| SG10 | - M | 99999 - SEQ-DT | M-BUS-FII-S | G11-8 | SGI | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG16 | - C | 10 - GIS-MO | A-LOC-NAD- | RCS- | FT | X |
| MOA | - C | 1 - Monetary | y amount | | | |
| Function | n: | | | | | |
| To spec | ify a monetar | y amount. | | | | |
| | | | EDIFACT | GS1 | * | Description |
| C516 | MONETAR | Y AMOUNT | М | Μ | | |
| 5025 | Monetary an qualifier | nount type code | Man3 | М | | 139 = Total payment amount |
| 5004 | Monetary an | nount | C n35 | R | Ì | |
| 6345 | Currency id | entification code | C an3 | 0 | Ì | ISO 4217 three alpha code |
| 6343 | Currency ty | pe code qualifier | C an3 | 0 | | 11 = Payment currency |
| 4405 | Status descr | iption code | C an3 | Ν | | |
| | • • • | · · · | C an3 | N | | |

Example: MOA+139:125000:EUR:11'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM | BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|----------|---|---------------|-------|----|---|
| SG10 | - M 999999 - SEQ-DTM | -BUS-FII-S | G11-S | G | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG16 | - C 10 - GIS-MOA | LOC-NAD | RCS- | FT | X |
| LOC | - C 2 - Place/locat | ion identific | ation | | |
| Function | n: | | | | |
| To iden | tify a place or a location and/or relat | ed locations | | | |
| | | EDIFACT | GS1 | * | Description |
| 3227 | Location function code qualifier | M an3 | М | | 27 = Country of origin 28 = Country of destination of goods 39 = Country of production 40 = Country of trading |
| C517 | LOCATION IDENTIFICATION | С | Α | | |
| 3225 | Location name code | C an25 | A | | ISO 3166 two alpha code |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | 5 = ISO (International Organization for Standardization) 9 = GS1 DE 3055 must be used if DE 3225 is used and does not contain an UN/LOCODE. |
| 3224 | Location name | C an256 | 0 | | |
| C519 | RELATED LOCATION ONE IDENTIFICATION | С | N | | |
| 3223 | First related location name code | C an25 | | | |
| 1131 | Code list identification code | C an17 | | | |
| 3055 | Code list responsible agency code | C an3 | | | |
| 3222 | First related location name | C an70 | | | |
| C553 | RELATED LOCATION TWO IDENTIFICATION | С | N | | |
| 3233 | Second related location name code | C an25 | | | |
| 1131 | Code list identification code | C an17 | | | |
| 3055 | Code list responsible agency code | C an3 | | | |
| 3232 | Second related location name | C an70 | | | |
| 5479 | Relation code | C an3 | Ν | | |

Segment Notes:

This segment is used to indicate any locations relevant to the regulatory party identified in the NAD segment.

Example:

LOC+39+BE'

Goods were produced in Belgium.

5. Segments Layout

| Segment 1 | | | | | | | | | | |
|-----------|---|----------------|--------|----|---|--|--|--|--|--|
| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | | |
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | | |
| SG16 | - C 10 - GIS-MOA-LOC-NAD-RCS-FTX | | | | | | | | | |
| NAD | - C 1 - Name and | address | | | | | | | | |
| Function | 1: | | | | | | | | | |
| | fy the name/address and their related by C080 thru 3207. | ed function, e | either | by | C082 only and/or unstructured by C058 or | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | | |
| 3035 | Party function code qualifier | M an3 | Μ | * | RA = Central bank or regulatory authority | | | | | |
| C082 | PARTY IDENTIFICATION DETAILS | С | A | | | | | | | |
| 3039 | Party identifier | M an35 | М | | For identification of parties it is recommended to use GLN - Format n13. | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | | |
| 3055 | Code list responsible agency code | C an3 | R | * | $9 = \mathbf{GS1}$ | | | | | |
| C058 | NAME AND ADDRESS | С | 0 | | This composite may only be used to fulfill the requirements of directive 2003/58/EC, article 4. | | | | | |
| 3124 | Name and address description | M an35 | М | | | | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | | | | |
| 3124 | Name and address description | C an35 | 0 | | | | | | | |
| C080 | PARTY NAME | С | D | | | | | | | |
| 3036 | Party name | M an35 | Μ | | Party name in clear text. | | | | | |
| 3036 | Party name | C an35 | 0 | | | | | | | |
| 3036 | Party name | C an35 | 0 | | | | | | | |
| 3036 | Party name | C an35 | 0 | | | | | | | |
| 3036 | Party name | C an35 | 0 | | | | | | | |
| 3045 | Party name format code | C an3 | 0 | | | | | | | |
| C059 | STREET | С | D | | | | | | | |
| 3042 | Street and number or post office box identifier | M an35 | М | | Building Name/Number and Street | | | | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | Name and/or P.O. Box. | | | | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | | | | | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | | | | | | |
| 3164 | City name | C an35 | D | | City/town name, clear text. | | | | | |
| C819 | COUNTRY SUB-ENTITY DETAILS | С | D | | | | | | | |
| 3229 | Country sub-entity name code | C an9 | 0 | | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | | |

5. Segments Layout

Segment number: 43

| | | EDIFACT | GS1 | * | Description |
|------|-----------------------------------|---------|-----|---|---------------------------|
| 3055 | Code list responsible agency code | C an3 | 0 | | |
| 3228 | Country sub-entity name | C an70 | 0 | | County/State, clear text. |
| 3251 | Postal identification code | C an17 | D | | Postal code |
| 3207 | Country name code | C an3 | D | | ISO 3166 two alpha code |

Segment Notes:

This segment is used to identify the central and regulatory authority specifying the regulatory information detailed in the GIS and FTX segments.

Example: NAD+RA+5422331123459::9'

Dependency Notes:

The following composites and data elements are only used when a coded name and address can not be used. The affected composites and data elements are as follows; C080 - C059 - 3164 - C819 - 3251 - 3207

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------|---|---------------|---------|----|--|--|--|--|--|
| SG10 | - M 999999 - SEQ-DTM | I-BUS-FII-S | G11-S | SG | 12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | |
| SG16 | - C 10 - GIS-MOA | -LOC-NAD- | RCS- | FT | X | | | | |
| RCS | - C 1 - Requireme | ents and cond | litions | 5 | | | | | |
| Functio | n: | | | | | | | | |
| To spec | ify sector/subject requirements and | conditions. | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| 7293 | Sector area identification code qualifier | M an3 | М | * | 25 = Banking sector | | | | |
| C550 | REQUIREMENT/CONDITION IDENTIFICATION | С | A | | | | | | |
| 7295 | Requirement or condition description identifier | M an17 | М | | As no EDIFACT code values exist for this data element it is recommended that nationally agreed codes be formulated to identify the requirements and conditions possible due to regulatory requirements. | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | 86 = Assigned by party originating the message | | | | |
| 7294 | Requirement or condition description | C an35 | 0 | | | | | | |
| 1229 | Action request/notification description code | C an3 | N | | | | | | |
| | Country name code | C an3 | Ν | | | | | | |

Example:

RCS+25+AB1::86'

Code assigned by the message sender indicating that the requirements and conditions relate to regulatory requirements to report the payment of amount in excess of a certain amount.

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SC | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------|---|-----------|-------|----|---|--|--|--|--|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | | | | | |
| SG16 | - C 10 - GIS-MOA-LOC-NAD-RCS-FTX | | | | | | | | | | | | |
| FTX | - C 10 - Free text | I | | | | | | | | | | | |
| Functio | n: | | | | | | | | | | | | |
| To prov | vide free form or coded text inform | nation. | | | | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | | | | | |
| 4451 | Text subject code qualifier | M an3 | Μ | * | REG = Regulatory information | | | | | | | | |
| 4453 | Free text function code | C an3 | N | | | | | | | | | | |
| C107 | TEXT REFERENCE | С | D | | This composite is only used when trading partners have agreed to use mutually defined code values. | | | | | | | | |
| 4441 | Free text value code | Man17 | Μ | | A code identifying standard text agreed between partners. | | | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | | | | | |
| C108 | TEXT LITERAL | С | D | | This composite is only used if coded text can not be used. | | | | | | | | |
| 4440 | Free text value | Man512 | Μ | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 3453 | Language name code | C an3 | D | | ISO 639 two alpha code. This data element is only used when non coded free text has been provided in data element C108. | | | | | | | | |
| 4447 | Free text format code | C an3 | Ν | | | | | | | | | | |

Segment Notes:

This segment is used to provide free or coded text information required by the regulatory authorities. The form and content of this segment is dependent upon the central bank or regulatory authority's requirements. Use of this segment in free form is not recommended since in most cases it inhibits automatic processing of the multiple credit advice. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission and processing overheads. Standard texts should be mutually defined among trading partners and can be used to cover legal and other requirements.

Example: FTX+REG++001::ZZZ'

5. Segments Layout

| 5G4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SC | 66-SG7-SG10 | | | |
|--------------------------------|--|-----------------|--------|-----|---|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | |
| SG17 | - C 5 - FCA-MO | DA-SG18 | | | | | | |
| FCA | - M 1 - Financia | l charges alloc | ation | | | | | |
| Function | n: | | | | | | | |
| Descrip | tion of allocation of charges. | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | |
| 4471 | Settlement means code | M an3 | М | * | 13 = All charges borne by payee 14 = Each pay own cost 15 = All charges borne by payor | | | |
| C878 | CHARGE/ALLOWANCE ACCOUNT | С | 0 | | | | | |
| 3434 | Institution branch identifier | M an17 | Μ | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | 25 = Bank identification 154 = Bank branch sorting identification | | | |
| 3055 | Code list responsible agency code | C an3 | D | | 5 = ISO (International Organization for Standardization) | | | |
| 3194 | Account holder identifier | C an35 | 0 | | If this data element is not used the primary account (i.e. the ordering bank account) specified in the FII segment (group 2 or 6) should be used. The account number quotes here must always be maintained by the bank issuing the message. | | | |
| 6345 | Currency identification code | C an3 | Ο | | ISO 4217 three alpha | | | |
| Segmen | t Notes: | I | 1 | 1 | 1 | | | |
| This seg account primary | gment is used to identify the metho . It may also identify an account w account. gment must not be used if the char | where charges/a | allowa | inc | es and allowances, to a Beneficiary or Payee es should be directed when different to the ve already been provided in the FCA segment in | | | |

Example: FCA+15+DRESDEFF666:25:5'

5. Segments Layout

| SG4 - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|--|-------------------------------------|-------------|-------|----|--|--|--|--|
| SG10 | - M 999999 - SEQ-DT | M-BUS-FII-S | G11-8 | SG | 2-SG13-SG14-SG15-SG16-SG17-SG20 | | | |
| SG17 | - C 5 - FCA-MC | A-SG18 | | | | | | |
| MOA | - C 2 - Monetary | amount | | | | | | |
| Function | n: | | | | | | | |
| To spec | ify a monetary amount. | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | |
| C516 | MONETARY AMOUNT | М | М | | | | | |
| 5025 | Monetary amount type code qualifier | M an3 | М | * | 23 = Charge amount 25 = Charge/allowance basis 204 = Allowance amount 259 = Total charges 260 = Total allowances | | | |
| 5004 | Monetary amount | C n35 | R | | | | | |
| 6345 | Currency identification code | C an3 | 0 | | ISO 4217 three alpha code | | | |
| 6343 | Currency type code qualifier | C an3 | N | | | | | |
| 4405 | Status description code | C an3 | Ν | | | | | |
| - | | • | | | ices and charges related to individual credit | | | |

Example: MOA+25:50000'

5. Segments Layout

| Segment | | | ~~- | ~ ~ | | | | | | |
|--|---|----------------|-------|------|--|--|--|--|--|--|
| SG4 | - M 9999 - LIN-DTN | | | | | | | | | |
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | | |
| SG17 | - C 5 - FCA-MOA-SG18 | | | | | | | | | |
| SG18 | - C 20 - ALC-PCD-MOA-CUX-DTM-SG19 | | | | | | | | | |
| ALC | - M 1 - Allowanc | e or charge | | | | | | | | |
| Function | | | | | | | | | | |
| To iden | tify allowance or charge details. | | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | | |
| 5463 | Allowance or charge code qualifier | M an3 | M | | A = Allowance C = Charge | | | | | |
| C552 | ALLOWANCE/CHARGE INFORMATION | С | 0 | | | | | | | |
| 1230 | Allowance or charge identifier | C an35 | D | | If code '69' is used in DE 5189, the agreement number must be specified in DE 1230. | | | | | |
| 5189 | Allowance or charge identification code | C an3 | 0 | | 1 = Handling commission 13 = Domicilation commission 30 = Bank charges 69 = Charge for a customer specific finish | | | | | |
| 4471 | Settlement means code | C an3 | Ν | | | | | | | |
| 1227 | Calculation sequence code | C an3 | D | | If the allowance or charge is not to be applied against a fixed price then the calculation sequence indicator must be included. | | | | | |
| C214 | SPECIAL SERVICES IDENTIFICATION | С | N | | | | | | | |
| 7161 | Special service description code | C an3 | | | | | | | | |
| 1131 | Code list identification code | C an17 | | | | | | | | |
| 3055 | Code list responsible agency code | C an3 | | | | | | | | |
| 7160 | Special service description | C an35 | | | | | | | | |
| 7160 | Special service description | C an35 | | ĺ | | | | | | |
| Segmen This seg Example ALC+C | gment is used to provide a breakdo e: | wn of all allo | wance | s ai | nd charges associated with the transaction. | | | | | |

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|----------|---|----------------------|-----------|------|-----|-------------------------------------|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG17 | - C | 5 - FCA-MO | A-SG18 | | | | | | |
| SG18 | - C | 20 - ALC-PCI | D-MOA-CUX | -DTM | 1-S | G19 | | | |
| PCD | - C | 1 - Percentag | e details | | | | | | |
| Function | n: | | | | | | | | |
| To spec | ify percentage | e information. | | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | | |
| C501 | PERCENTA | AGE DETAILS | М | Μ | | | | | |
| 5245 | Percentage | ype code qualifier | Man3 | Μ | | 3 = Allowance or charge | | | |
| 5482 | Percentage | | C n10 | R | | | | | |
| 5249 | Percentage l code | basis identification | C an3 | 0 | | | | | |
| 1131 | Code list ide | entification code | C an17 | 0 | | | | | |
| 3055 | Code list res | sponsible agency | C an3 | D | | | | | |
| 4405 | Status descr | iption code | C an3 | Ν | | | | | |
| Segmen | t Notes: | | · | | | | | | |
| | | | | | | alculating the allowance or charge. | | | |

PCD+3:4.23'

5. Segments Layout

| SG17 - C5 - FCA-MOA-SG18SG18C20 - ALC-PCD-MOA-CUX-DTM-SG19MOA- C2 - Monetary amountFunction:To specify a monetary amount.EDIFACTGS1 *DescriptionC516MONETARY AMOUNTMMSAllowance or charge amount5025Monetary amount type code qualifierMM8Allowance or charge amount 25 = Charge/allowance basis5004Monetary amountCn35RI6345Currency identification codeCan3NI6343Currency type code qualifierCan3NI4405Status description codeCan3OI | SG4 | - M | 9999 - LIN-DT | M-BUS-MOA | -SG5- | SG | 6-SG7-SG10 |
|---|----------|---------------|-------------------|------------------|---------|-----|--|
| SG18- C20 - ALC-PCD-MOA-CUX-DTM-SG19MOA- C2 - Monetary amountFunction:To specify a monetary amount.EDIFACTGS1*DescriptionC516MONETARY AMOUNTMMI5025Monetary amount type code qualifierM an3M8 = Allowance or charge amount 25 = Charge/allowance basis5004Monetary amountC n35RI6345Currency identification codeC an3OI6343Currency type code qualifierC an3NI4405Status description codeC an3OI | SG10 | - M | 99999 - SEQ-DT | M-BUS-FII-S | G11-S | SGI | 12-SG13-SG14-SG15-SG16-SG17-SG20 |
| MOA- C2 - Monetary amountFunction: To specify a monetary amount.To specify a monetary amount.EDIFACTGS1*DescriptionC516MONETARY AMOUNTMMI5025Monetary amount type code qualifierM an3M8 = Allowance or charge amount 25 = Charge/allowance basis5004Monetary amountC n35RI6345Currency identification codeC an3OI6343Currency type code qualifierC an3NI | SG17 | - C | 5 - FCA-MO | DA-SG18 | | | |
| Function: To specify a monetary amount. EDIFACT GS1 * Description C516 MONETARY AMOUNT M M 5025 Monetary amount type code qualifier Man3 M 8 = Allowance or charge amount 25 = Charge/allowance basis 5004 Monetary amount C n35 R 1 6345 Currency identification code C an3 O 1 6343 Currency type code qualifier C an3 O 1 4405 Status description code C an3 O 1 | SG18 | - C | 20 - ALC-PC | D-MOA-CUX | -DTN | 1-S | G19 |
| To specify a monetary amount. EDIFACT GS1 * Description C516 MONETARY AMOUNT M M Image: Colspan="4">Man3 5025 Monetary amount type code qualifier M an3 M 8 = Allowance or charge amount 25 = Charge/allowance basis 5004 Monetary amount C n35 R Image: Colspan="4">Image: Colspan="4">Man3 6345 Currency identification code C an3 O Image: Colspan="4">Image: Colspan="4">Image: Colspan="4">Image: Colspan="4">Colspan="4"Colspan="4">Colspan="4"Colspan="4">Colspan="4"Colspan="4"Co | MOA | - C | 2 - Monetar | y amount | | | |
| EDIFACTGS1*DescriptionC516MONETARY AMOUNTMMI5025Monetary amount type code qualifierM an3M8 = Allowance or charge amount 25 = Charge/allowance basis5004Monetary amountC n35RI6345Currency identification codeC an3OI6343Currency type code qualifierC an3NI4405Status description codeC an3OI | Function | n: | | | | | |
| C516MONETARY AMOUNTMM5025Monetary amount type code qualifierM an3M8 = Allowance or charge amount 25 = Charge/allowance basis5004Monetary amountC n35R6345Currency identification codeC an3O6343Currency type code qualifierC an3N4405Status description codeC an3O | To spec | ify a monetar | y amount. | | | | |
| 5025Monetary amount type code qualifierM an3M8 = Allowance or charge amount 25 = Charge/allowance basis5004Monetary amountC n35R6345Currency identification codeC an3O6343Currency type code qualifierC an3N4405Status description codeC an3O | | | | EDIFACT | GS1 | * | Description |
| qualifierImage: Constraint of the constra | C516 | MONETAR | Y AMOUNT | М | Μ | | |
| 6345 Currency identification code C an3 O 6343 Currency type code qualifier C an3 N 4405 Status description code C an3 O | 5025 | | nount type code | Man3 | М | | |
| 6343Currency type code qualifierC an3N4405Status description codeC an3O | 5004 | Monetary an | nount | C n35 | R | | |
| 4405 Status description code C an3 O | 6345 | Currency id | entification code | C an3 | 0 | | |
| · | 6343 | Currency ty | pe code qualifier | C an3 | Ν | | |
| Segment Notes: | 4405 | Status descr | iption code | C an3 | Ο | | |
| | Segmen | t Notes: | | | | | |
| | - | ces or charge | | it and it necess | sary ti | | basis amount to be used when calculating the |

MOA+8:1400'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | |
|---------|---|----------------|---------|-----|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | |
| SG17 | - C 5 - FCA-MC | A-SG18 | | | | | | |
| SG18 | - C 20 - ALC-PC | D-MOA-CUX | -DTM | 1-S | G19 | | | |
| CUX | - C 1 - Currencie | es | | | | | | |
| Functio | n: | | | | | | | |
| To spec | rify currencies used in the transacti | on and relevar | nt deta | ils | for the rate of exchange. | | | |
| | | EDIFACT | GS1 | * | Description | | | |
| C504 | CURRENCY DETAILS | С | R | | | | | |
| 6347 | Currency usage code qualifier | Man3 | М | * | 2 = Reference currency | | | |
| 6345 | Currency identification code | C an3 | R | | ISO 4217 three alpha | | | |
| 6343 | Currency type code qualifier | C an3 | R | * | 11 = Payment currency | | | |
| 6348 | Currency rate value | C n4 | D | | | | | |
| C504 | CURRENCY DETAILS | С | D | | Second occurrence of this composite is only used if a target currency is being specified. | | | |
| 6347 | Currency usage code qualifier | Man3 | М | * | 3 = Target currency | | | |
| 6345 | Currency identification code | C an3 | R | | ISO 4217 three alpha | | | |
| 6343 | Currency type code qualifier | C an3 | R | * | 4 = Invoicing currency 17 = Charge calculation currency | | | |
| 6348 | Currency rate value | C n4 | D | | | | | |
| 5402 | Currency exchange rate | C n12 | D | | The rate of exchange which applies to the currency. The rate of exchange is only used if a target currency has been identified in the second occurrence of C504. | | | |
| 6341 | Exchange rate currency market identifier | C an3 | N | | | | | |

Segment Notes:

This segment is used to provide the exchange rate related to the allowances or charges.

The CUX segment is mandatory for international exchanges.

This segment is used to provide the exchange rate related to the allowances or charges.

When specifying Reference and Target Currencies for international trade, one occurrence of CUX is all that is required. The reference currency is identified in the first occurrence of composite C504, with the target currency specified in the second occurrence of C504. The rate of exchange between the two is detailed in DE 5402. The general rule for calculating rate of exchange is as follows;

Reference Currency multiplied by Rate = Target Currency.

Example: CUX+2:EUR:11+3:USD:4+0.90243'

5. Segments Layout

| Segment nu | mber: 52 | 2 | |
|------------|----------|---|---|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG17 | - C | 5 - FCA-MOA-SG18 | |
| SG18 | - C | 20 - ALC-PCD-MOA-CUX-DTM-SG19 | |
| DTM | - C | 2 - Date/time/period | |
| | | | - |

Function:

To specify date, and/or time, or period.

| | | EDIFACT | GS1 | * | Description |
|------|---|---------|-----|---|---|
| C507 | DATE/TIME/PERIOD | М | Μ | | |
| 2005 | Date or time or period function code qualifier | M an3 | М | * | 134 = Rate of exchange date/time 211 = $360/30$ 212 = $360/28-31$ 213 = $365-6/30$ 214 = $365-6/28-31$ 215 = $365/28-31$ 216 = $365/30$ 273 = Validity period Code 211 - Calculation is based on year of 360 days, month of 30 days. Code 212 - Calculation is based on year of 360 days, month of 28-31 days. Code 213 - Calculation is based on year of 365-6 days, month of 30 days. Code 214 - Calculation is based on year of 365-6 days, month of 28-31 days. Code 215 - Calculation is based on year of 365 days, month of 28-31 days. Code 216 - Calculation is based on year of 365 days, month of 30 days. |
| 2380 | Date or time or period value | C an35 | R | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD 107 = DDD 718 = CCYYMMDD-CCYYMMDD |

Segment Notes:

This segment is used to specify the date on which a rate of exchange was quoted.

Example: DTM+134:20020601:102'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTN | I-BUS-MOA | -SG5-S | SG6- | SG7-SG10 | | | | |
|----------|---|-------------|--------|------|--|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG17 | - C 5 - FCA-MOA-SG18 | | | | | | | | |
| SG18 | - C 20 - ALC-PCD-MOA-CUX-DTM-SG19 | | | | | | | | |
| SG19 | - C 5 - TAX-MOA | | | | | | | | |
| TAX | - M 1 - Duty/tax/ | fee details | | | | | | | |
| Function | n: | | | | | | | | |
| To spec | ify relevant duty/tax/fee information | on. | | | | | | | |
| | | EDIFACT | GS1 | * I | Description | | | | |
| 5283 | Duty or tax or fee function code qualifier | M an3 | М | | 5 = Customs duty 6 = Fee 7 = Tax | | | | |
| C241 | DUTY/TAX/FEE TYPE | С | D | | | | | | |
| 5153 | Duty or tax or fee type name code | C an3 | 0 | | GST = Goods and services tax OTH = Other taxes VAT = Value added tax | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5152 | Duty or tax or fee type name | C an35 | 0 | | | | | | |
| C533 | DUTY/TAX/FEE ACCOUNT DETAIL | С | 0 | | | | | | |
| 5289 | Duty or tax or fee account code | M an6 | М | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5286 | Duty or tax or fee assessment basis value | C an15 | 0 | | | | | | |
| C243 | DUTY/TAX/FEE DETAIL | С | Α | | | | | | |
| 5279 | Duty or tax or fee rate code | C an7 | 0 | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5278 | Duty or tax or fee rate | C an17 | R | Т | he actual rate of tax/duty. | | | | |
| 5273 | Duty or tax or fee rate basis code | C an12 | 0 | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 5305 | Duty or tax or fee category code | C an3 | D | | A = Mixed tax rate E = Exempt from tax S = Standard rate | | | | |
| 3446 | Party tax identifier | C an20 | 0 | | | | | | |
| 1227 | Calculation sequence code | C an3 | Ν | | | | | | |

© Copyright GS1

Segment number: 53

This segment is used to specify any taxes associated with the allowances and charges.

Example: TAX+7+VAT+++:::18.5+S'

Dependency Notes: DE C241 and 5305: Tax types and categories will vary from country to country. They should be defined by national guidelines.

5. Segments Layout

| Segment nu | mber: 54 | 4 | |
|------------|----------|--|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG17 | - C | 5 - FCA-MOA-SG18 | |
| SG18 | - C | 20 - ALC-PCD-MOA-CUX-DTM-SG19 | |
| SG19 | - C | 5 - TAX-MOA | |
| MOA | - C | 2 - Monetary amount | |

Function:

To specify a monetary amount.

| 1 | 5 5 | | | | |
|------|-------------------------------------|---------|-----|---|---|
| | | EDIFACT | GS1 | * | Description |
| C516 | MONETARY AMOUNT | М | Μ | | |
| 5025 | Monetary amount type code qualifier | Man3 | М | | 55 = Duty amount 56 = Duty/tax/fee basis amount 161 = Duty, tax or fee amount |
| 5004 | Monetary amount | C n35 | R | | |
| 6345 | Currency identification code | C an3 | 0 | | |
| 6343 | Currency type code qualifier | C an3 | Ν | | |
| 4405 | Status description code | C an3 | Ν | | |
| | | | | | |

Segment Notes:

This segment is used to indicate the tax or duty amount for the tax rates specified in the previous TAX segment.

Example:

MOA+55:6500'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|----------|---|---------------|-----|---|---|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG20 | - C 1 - PRC-FTX-SG21-SG27 | | | | | | | | |
| PRC | - M 1 - Process id | lentification | | | | | | | |
| Function | n: | | | | | | | | |
| To iden | tify a process. | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| C242 | PROCESS TYPE AND DESCRIPTION | С | R | | | | | | |
| 7187 | Process type description code | M an17 | М | * | 8 = Processing of structured information 11 = Processing of unstructured information 9 = Processing of identical information in structured and unstructured form 8 - The information following this segment is presented in a structured format using segments such as the DOC and MOA in segment group 21. 11 - The information following this segment is presented in an unstructured format using the following FTX segment. | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | 0 | | | | | | |
| 7186 | Process type description | C an35 | 0 | | | | | | |
| 7186 | Process type description | C an35 | 0 | | | | | | |
| C830 | PROCESS IDENTIFICATION DETAILS | C | N | | | | | | |
| 7191 | Process description code | C an17 | | | | | | | |
| 1131 | Code list identification code | C an17 | | | | | | | |
| 3055 | Code list responsible agency code | C an3 | | | | | | | |
| 7190 | Process description | C an70 | | | | | | | |

Segment Notes:

This segment is used to provide processing information related to the credit instruction.

It should be noted that information sent in groups 21 through 27 is generated by the ordering party and is simply forwarded to the beneficiary via the intermediary bank(s) without amendment.

Example: PRC+8'

5. Segments Layout

| SG4 | - M 9999 - LIN-DT | M-BUS-MOA | -SG5- | SC | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------|-------------------------------------|-------------|-------|----|---|--|--|--|--|--|--|--|--|
| SG10 | - M 999999 - SEQ-DT | M-BUS-FII-S | G11-S | SG | 12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG20 | - C 1 - PRC-FTX-SG21-SG27 | | | | | | | | | | | | |
| FTX | - C 5 - Free text | t | | | | | | | | | | | |
| Functio | n: | | | | | | | | | | | | |
| To prov | ride free form or coded text inform | nation. | | | | | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | | | | | |
| 4451 | Text subject code qualifier | M an3 | Μ | | PMT = Payment information | | | | | | | | |
| 4453 | Free text function code | C an3 | Ν | | | | | | | | | | |
| C107 | TEXT REFERENCE | С | D | | This composite is only used when trading partners have agreed to use mutually defined code values. | | | | | | | | |
| 4441 | Free text value code | M an17 | М | | A code identifying standard text agreed between trading partners. | | | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | 1 | | | | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | | | | | |
| C108 | TEXT LITERAL | С | D | | This composite is only used if coded text can not be used. | | | | | | | | |
| 4440 | Free text value | Man512 | Μ | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 4440 | Free text value | C an512 | 0 | | | | | | | | | | |
| 3453 | Language name code | C an3 | D | | ISO 639 two alpha code. This data element is only used when non coded free text has been provided in data element C108. | | | | | | | | |
| | | | | | | | | | | | | | |

Segment Notes:

This segment is used to provide free or coded text information related to the processing of the payment. Use of this segment in free form is not recommended since in most cases it inhibits automatic processing of the multiple credit advice. Coded references to standard texts is an available functionality which enables automatic processing and reduces transmission and processing overheads. Standard texts should be mutually defined among trading partners and can be used to cover legal and other requirements.

Example: FTX+PMT+++PAYMENT RELATES TO ACCUMULATED INVOICES JAN 2002'

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
|---------|---|----------------|-----|---|--|--|--|--|--|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG20 | - C 1 - PRC-FTX-SG21-SG27 | | | | | | | | |
| SG21 | - C 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | | | | | | | | |
| DOC | - M 1 - Document/message details | | | | | | | | |
| Functio | n: | | | | | | | | |
| To iden | tify documents and details directly | related to it. | | | | | | | |
| | | EDIFACT | GS1 | * | Description | | | | |
| C002 | DOCUMENT/MESSAGE NAME | М | М | | | | | | |
| 1001 | Document name code | C an3 | R | | 82 = Metered services invoice 83 = Credit note related to financial adjustments 84 = Debit note related to financial adjustments 380 = Commercial invoice 381 = Credit note - goods and services 383 = Debit note - goods and services 385 = Consolidated invoice 386 = Prepayment invoice 389 = Self-billed invoice 390 = Delcredere invoice | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| 1000 | Document name | C an35 | Ν | | | | | | |
| C503 | DOCUMENT/MESSAGE DETAILS | С | R | | | | | | |
| 1004 | Document identifier | C an35 | R | | | | | | |
| 1373 | Document status code | C an3 | 0 | | 2 = Accompanying goods 4 = To arrive by separate EDI message 6 = To arrive by manual means | | | | |
| 1366 | Document source description | C an70 | Ν | | | | | | |
| 3453 | Language name code | C an3 | 0 | | ISO 639 two alpha code. | | | | |
| 1056 | Version identifier | C an9 | N | | | | | | |
| 1060 | Revision identifier | C an6 | N | | | | | | |
| 3153 | Communication medium type code | C an3 | N | | | | | | |
| 1220 | Document copies required quantity | C n2 | N | | | | | | |
| 1218 | Document originals required quantity | C n2 | N | | | | | | |

Segment Notes:

This segment is used to provide details of the documents, e.g. a group of invoices, to which the multiple credit advice refers.

This information is generated by the party making the payment and must be included at least once in the Multiple Credit Advice message. Individual document line item information is provided in the DLI segment.

Example:

5. Segments Layout

Segment number: 57 DOC+380+43534'

5. Segments Layout

| SG4 - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 SG10 - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 SG20 - C 1 - PRC-FTX-SG21-SG27 SG21 - C 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 MOA - C 5 - Monetary amount | Segment nu | mber: 5 | 8 | |
|--|------------|---------|---|--|
| SG20 - C 1 - PRC-FTX-SG21-SG27 SG21 - C 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG21 - C 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| | SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| MOA - C 5 - Monetary amount | SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| | MOA | - C | 5 - Monetary amount | |

Function:

To specify a monetary amount.

| | | EDIFACT | GS1 | * | Description |
|------|--|---------|-----|---|---|
| C516 | MONETARY AMOUNT | М | Μ | | |
| 5025 | Monetary amount type code qualifier | M an3 | М | | 9 = Amount due/amount payable 11 = Amount paid 12 = Amount remitted 52 = Discount amount 53 = Discount amount due 109 = Payment discount amount 126 = To collect 128 = Total amount 139 = Total payment amount 143 = Transfer amount When used in conjunction with code 481 in data element 1001 of the DOC segment only the amount remitted (code 12) should be used here. When used with all other codes in data element 1001 in the DOC segment it is recommended that the amount due (code 9) and the amount remitted (code 12) be included in this data element. |
| 5004 | Monetary amount | C n35 | R | | |
| 6345 | Currency identification code | C an3 | Ν | | |
| 6343 | Currency type code qualifier | C an3 | Ν | | |
| 4405 | Status description code | C an3 | Ν | | |

Segment Notes:

This segment is used to specify monetary amounts related to the complete document identified in the previous DOC segment.

Example: MOA+12:15677'

5. Segments Layout

| Segment nun | nber: 59 | 9 | |
|-------------|----------|--|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| DTM | - C | 5 - Date/time/period | |
| Function: | | | |

To specify date, and/or time, or period.

| | | EDIFACT | GS1 | * | Description |
|------|--|---------|-----|---|---|
| C507 | DATE/TIME/PERIOD | М | Μ | | |
| 2005 | Date or time or period function code qualifier | M an3 | М | * | 137 = Document/message date/time 138 = Payment date 171 = Reference date/time 227 = Beneficiary's banks due date 265 = Due date |
| 2380 | Date or time or period value | C an35 | R | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD |

Segment Notes:

This segment is used to specify dates related to the document identified in the DOC segment.

Example:

DTM+137:20020510:102'

5. Segments Layout

| Segment nu | mber: 60 | 0 | |
|------------|----------|---|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| RFF | - C | 5 - Reference | |

Function:

To specify a reference.

| | | EDIFACT | GS1 | * | Description |
|------|------------------------------|---------|-----|---|--|
| C506 | REFERENCE | М | Μ | | |
| 1153 | Reference code qualifier | M an3 | Μ | | AAB = Proforma invoice number AAJ = Delivery order number AAK = Despatch advice number CD = Credit note number CR = Customer reference number CT = Contract number DQ = Delivery note number IV = Invoice number IV = Invoice number ON = Order number (buyer) PL = Price list number POR = Purchase order response number PP = Purchase order change number VN = Order number (supplier) |
| 1154 | Reference identifier | C an70 | R | | |
| 1156 | Document line identifier | C an6 | Ν | | |
| 4000 | Reference version identifier | C an35 | Ν | | |
| 1060 | Revision identifier | C an6 | Ν | | |

Segment Notes:

This segment is used to provide any additional references relevant to the currently identified DOC segment.

Example: RFF+ON:A-7664'

5. Segments Layout

| Segment nu | mber: 6 | 1 |
|------------|---------|---|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 |
| NAD | - C | 2 - Name and address |

Function:

To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.

| | | EDIFACT | GS1 | * | Description |
|------|---|---------|-----|---|---|
| 3035 | Party function code qualifier | M an3 | Μ | | BY = Buyer DP = Delivery party II = Issuer of invoice IV = Invoicee SU = Supplier UD = Ultimate customer |
| C082 | PARTY IDENTIFICATION DETAILS | С | A | | |
| 3039 | Party identifier | M an35 | Μ | | GLN - Format n13 For the identification of parties it is recommended to use GLN - Format n13. |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | R | * | $9 = \mathbf{GS1}$ |
| C058 | NAME AND ADDRESS | С | 0 | | This composite may only be used to fulfill the requirements of directive 2003/58/EC, article 4. |
| 3124 | Name and address description | M an35 | Μ | | |
| 3124 | Name and address description | C an35 | 0 | | |
| 3124 | Name and address description | C an35 | 0 | | |
| 3124 | Name and address description | C an35 | 0 | | |
| 3124 | Name and address description | C an35 | 0 | | |
| C080 | PARTY NAME | С | D | | |
| 3036 | Party name | M an35 | М | | Party name in clear text. |
| 3036 | Party name | C an35 | 0 | | |
| 3036 | Party name | C an35 | 0 | | |
| 3036 | Party name | C an35 | 0 | | |
| 3036 | Party name | C an35 | 0 | | |
| 3045 | Party name format code | C an3 | 0 | | |
| C059 | STREET | С | D | | |
| 3042 | Street and number or post office box identifier | M an35 | М | | Building name/number and street name. |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | |
| 3042 | Street and number or post office box identifier | C an35 | 0 | | |

5. Segments Layout

Segment number: 61

| | | EDIFACT | GS1 | * | Description |
|------|-----------------------------------|---------|-----|---|-----------------------------|
| 3164 | City name | C an35 | D | | City/town name, clear text. |
| C819 | COUNTRY SUB-ENTITY DETAILS | С | D | | |
| 3229 | Country sub-entity name code | C an9 | 0 | | |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | 0 | | |
| 3228 | Country sub-entity name | C an70 | 0 | | County/State, clear text. |
| 3251 | Postal identification code | C an17 | D | | Postal code |
| 3207 | Country name code | C an3 | D | | ISO 3166 two alpha code |

Segment Notes:

This segment is used to identify any additional parties related to the currently identified document, e.g. delivery party.

Example: NAD+DP+5071615111100::9'

Dependency Notes:

The following composites and data elements are only used when a coded name and address can not be used. The affected composites and data elements are as follows; C080 - C059 - 3164 - C819 - 3251 - 3207

5. Segments Layout

| SG4 | - M | 9999 - LIN-DTM | I-BUS-MOA | -SG5- | SC | 66-SG7-SG10 | | | |
|---------|-------------------|-----------------------|----------------|---------|------|--|--|--|--|
| SG10 | - M | 99999 - SEQ-DTN | M-BUS-FII-S | G11-S | SG | 12-SG13-SG14-SG15-SG16-SG17-SG20 | | | |
| SG20 | - C | 1 - PRC-FTX | K-SG21-SG27 | | | | | | |
| SG21 | - C | 9999 - DOC-MC | A-DTM-RFF | -NAI | D-S | G22-SG23-SG24 | | | |
| SG22 | - C | 5 - CUX-DT | 'M | | | | | | |
| CUX | - M | 1 - Currencie | Currencies | | | | | | |
| Functio | n: | | | | | | | | |
| To spec | ify currencies us | ed in the transaction | on and relevar | nt deta | ails | for the rate of exchange. | | | |
| | | | EDIFACT | GS1 | * | Description | | | |
| C504 | CURRENCY | DETAILS | С | R | | | | | |
| 6347 | Currency usag | e code qualifier | Man3 | Μ | * | 2 = Reference currency | | | |
| 6345 | Currency ident | ification code | C an3 | R | 1 | ISO 4217 three alpha | | | |
| 6343 | Currency type | code qualifier | C an3 | R | * | 11 = Payment currency | | | |
| 6348 | Currency rate | value | C n4 | Ν | Ì | | | | |
| C504 | CURRENCY | DETAILS | С | D | | Second occurrence of this composite is only used if a target currency is being specified. | | | |
| 6347 | Currency usag | e code qualifier | Man3 | Μ | * | 3 = Target currency | | | |
| 6345 | Currency ident | ification code | C an3 | R | Ì | ISO 4217 three alpha | | | |
| 6343 | Currency type | code qualifier | C an3 | R | * | 4 = Invoicing currency | | | |
| 6348 | Currency rate | value | C n4 | Ν | Ì | | | | |
| 5402 | Currency exch | ange rate | C n12 | D | | The rate of exchange is only used if a target currency has been identified in the second occurrence of C504. | | | |
| | Exchange rate | currency | C an3 | Ν | İ | | | | |

This segment is used to provide currency rate of exchange information used to convert amounts specified in the MOA segment for the referenced document, to an amount expressed in terms of the remittance/payment currency. This CUX segment will only be used when the currency of its rate of exchange is different from the default global currency or its rate of exchange specified in the CUX segment at heading level. When specifying the Reference and Target currencies for international trade, one occurrence of CUX is all that is required. The reference currency is identified in the first occurrence of composite C504, with the target currency specified in the second occurrence of C504. The rate of exchange between the two is detailed in DE 5402. The general rule for calculating the rate of exchange is as follows; Reference Currency multiplied by Rate = Target Currency.

Example: CUX+2:EUR:11+3:USD:4+0.90243'

5. Segments Layout

| SG4 | - M | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | |
|-----------------|-----------------------------|--|-----------------|--------|-----|--|--|--|--|
| SG10 | - M | 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | |
| SG20 | - C | 1 - PRC-FTX | -SG21-SG27 | , | | | | | |
| SG21 | - C | 9999 - DOC-MO | A-DTM-RFF | -NAI |)-S | G22-SG23-SG24 | | | |
| SG22 | - C | 5 - CUX-DTI | М | | | | | | |
| DTM | - C | 1 - Date/time/ | /period | | | | | | |
| Function | n: | | | | | | | | |
| To spec | ify date, and/ | or time, or period. | | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | | |
| C507 | DATE/TIM | IE/PERIOD | М | М | | | | | |
| 2005 | Date or tim code qualifi | e or period function | Man3 | М | * | 134 = Rate of exchange date/time273 = Validity period | | | |
| 2380 | Date or tim | e or period value | C an35 | R | | | | | |
| 2379 | Date or time | e or period format | C an3 | R | | 102 = CCYYMMDD 718 = CCYYMMDD-CCYYMMDD | | | |
| Segmen | t Notes: | | | | | | | | |
| • | gment is used | to specify any dates re | elated to the c | curren | cy | information specified in the previous CUX | | | |
| Exampl DTM+1 | e: .34:20020105 | 5:102' | | | | | | | |

5. Segments Layout

| Segment nu | mber: 64 | 4 |
|------------|----------|---|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 |
| SG23 | - C | 100 - AJT-MOA-RFF |
| AJT | - M | 1 - Adjustment details |

Function:

To identify the reason for an adjustment.

| | | EDIFACT | GS1 | * | Description |
|------|---------------------------------------|---------|-----|---|--|
| 4465 | Adjustment reason description code | M an3 | М | | 1 = Agreed settlement 2 = Below specification goods 3 = Damaged goods 4 = Short delivery 5 = Price query 6 = Proof of delivery required 9 = Invoice error 14 = Wrong delivery 17 = Transport damage 20 = Discount for late delivery 32 = Goods not delivered 52 = Wrong invoice |
| 1082 | Line item identifier | C an6 | N | | If specific references or information related to a line number in a document are required, then the line item number is given in the DLI segment and the adjustment given in the AJT segment, see segment group 24 and segment group 26. |

Segment Notes:

This segment is used to indicate the reason for an adjustment to the current document. Adjustments can be given for the whole referenced document identified in the DOC segment and additionally, can also be given per line item in the following DLI segment group.

Example:

AJT+4'

5. Segments Layout

| Segment | number: 6 | 5 | | | | | | | | |
|---------|---|--|------------|------|-----|--|--|--|--|--|
| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | | |
| SG10 | - M | - M 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG20 | - C | - C 1 - PRC-FTX-SG21-SG27 | | | | | | | | |
| SG21 | - C | 9999 - DOC-M | OA-DTM-RFF | -NAI | D-S | G22-SG23-SG24 | | | | |
| SG23 | - C | 100 - AJT-MOA-RFF | | | | | | | | |
| MOA | - C | 1 - Monetary | y amount | | | | | | | |
| Functio | on: | | | | | | | | | |
| To spec | cify a monetar | y amount. | | | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | | | |
| C516 | MONETAR | RY AMOUNT | М | Μ | | | | | | |
| 5025 | Monetary a qualifier | mount type code | Man3 | М | * | 5 = Adjusted amount 165 = Adjustment amount | | | | |
| 5004 | Monetary a | mount | C n35 | R | ĺ | | | | | |
| 6345 | Currency id | lentification code | C an3 | N | | | | | | |
| 6343 | Currency ty | pe code qualifier | C an3 | N | | | | | | |
| 4405 | Status desci | ription code | C an3 | N | | | | | | |

Segment Notes:

This segment is used to indicate the value of the adjusted amount for the current document.

Adjustment amounts may be given for information purposes only, i.e. not for calculation. The adjustment amount will not necessarily equal the difference between the amount due and the amount remitted.

Example: MOA+5:8700'

© Copyright GS1

5. Segments Layout

| Segment nu | mber: 60 | ; ; | | | | | | |
|------------|-------------------------|---|--|--|--|--|--|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | | | | | | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | | | | | | |
| SG23 | - C | 100 - AJT-MOA-RFF | | | | | | |
| RFF | - C | 1 - Reference | | | | | | |
| Function: | | | | | | | | |
| To specify | To specify a reference. | | | | | | | |
| | | EDIFACT GS1 * Description | | | | | | |
| | | | | | | | | |

| | | EDIFACT | 051 | Description |
|------|------------------------------|---------|-----|--|
| C506 | REFERENCE | М | Μ | |
| 1153 | Reference code qualifier | M an3 | M | AAK = Despatch advice number ON = Order number (buyer) PL = Price list number PP = Purchase order change number POR = Purchase order response number VN = Order number (supplier) |
| 1154 | Reference identifier | C an70 | R | |
| 1156 | Document line identifier | C an6 | Ν | |
| 4000 | Reference version identifier | C an35 | Ν | |
| 1060 | Revision identifier | C an6 | Ν | |

Segment Notes:

This segment is used to specify any references associated with the adjusted amounts.

If specific references or information related to a line item number in a document are required then this information is provided in the AJT segment group (group 26) at DLI level.

Example: RFF+PL:JAN-2002'

5. Segments Layout

| Segment nu | umber: 67 | , | | | | | | | | | |
|---|---|------------------------|----------------|-----------------------|-----|---|--|--|--|--|--|
| SG4 | - M | 9999 - LIN-DTM | -BUS-MOA | -SG5- | SG | 6-SG7-SG10 | | | | | |
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | | | |
| SG20 | - C | 1 - PRC-FTX | -SG21-SG27 | 7 | | | | | | | |
| SG21 | - C | 9999 - DOC-MO | A-DTM-RFF | F-NAI |)-S | G22-SG23-SG24 | | | | | |
| SG24 | - C 9999 - DLI-MOA-PIA-DTM-SG26 | | | | | | | | | | |
| DLI | - M | 1 - Document | line identific | cation | | | | | | | |
| Function: | | | | | | | | | | | |
| To specif | y the process | sing mode of a specifi | ic line within | a refe | rer | aced document. | | | | | |
| | | | EDIFACT | GS1 | * | Description | | | | | |
| 1073 | Document li | ne action code | M an3 | М | | 1 = Included in document/transaction2 = Excluded from document/transaction | | | | | |
| 1082 | Line item id | entifier | M an6 | Μ | | | | | | | |
| Segment 1 | Notes: | | · | | | | | | | | |
| This segment is used to identify individual line items within the document identified in the DOC segment. | | | | | | | | | | | |
| | | 5 | | Example: DLI+2+55' | | | | | | | |

5. Segments Layout

| Segment nu | mber: 6 | 8 | |
|------------|---------|---|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| SG24 | - C | 9999 - DLI-MOA-PIA-DTM-SG26 | |
| MOA | - C | 5 - Monetary amount | |

Function:

To specify a monetary amount.

| | | EDIFACT | GS1 | * | Description |
|------|-------------------------------------|---------|-----|---|---|
| C516 | MONETARY AMOUNT | М | Μ | | |
| 5025 | Monetary amount type code qualifier | M an3 | Μ | | 9 = Amount due/amount payable 12 = Amount remitted 52 = Discount amount 53 = Discount amount due 109 = Payment discount amount 143 = Transfer amount 203 = Line item amount |
| 5004 | Monetary amount | C n35 | R | | |
| 6345 | Currency identification code | C an3 | 0 | | |
| 6343 | Currency type code qualifier | C an3 | N | | |
| 4405 | Status description code | C an3 | N | | |

Segment Notes:

This segment is used to indicate the amount due and the amount remitted for the line item identified in the DLI segment for the current document.

Example: MOA+12:4500' MOA+9:52000'

5. Segments Layout

| - | number: 69 | | a c - | ~ · | | | | | |
|----------|---|---------|-------|-----|---|--|--|--|--|
| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | | |
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | | |
| SG20 | - C 1 - PRC-FTX-SG21-SG27 | | | | | | | | |
| SG21 | - C 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | | | | | | | | |
| SG24 | - C 9999 - DLI-MOA | | SG26 | | | | | | |
| PIA | - C 5 - Additional product id | | | | | | | | |
| Functior | | | | | | | | | |
| To speci | ify additional or substitutional item | | | | | | | | |
| | | EDIFACT | | * | Description | | | | |
| 4347 | Product identifier code qualifier | M an3 | M | * | 5 = Product identification | | | | |
| C212 | ITEM NUMBER IDENTIFICATION | М | М | | | | | | |
| 7140 | Item identifier | C an35 | R | | Number of the article for which the adjustment details are provided. | | | | |
| 7143 | Item type identification code | C an3 | R | | AC = HIBC (Health Industry Bar Code) SRV = GS1 Global Trade Item Number IB = ISBN (International Standard Book Number) IN = Buyer's item number SA = Supplier's article number | | | | |
| 1131 | Code list identification code | C an17 | 0 | Ì | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | 9 = GS1 91 = Assigned by supplier or supplier's agent 92 = Assigned by buyer or buyer's agent | | | | |
| C212 | ITEM NUMBER IDENTIFICATION | С | 0 | | | | | | |
| 7140 | Item identifier | C an35 | R | | | | | | |
| 7143 | Item type identification code | C an3 | R | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| C212 | ITEM NUMBER IDENTIFICATION | С | 0 | | | | | | |
| 7140 | Item identifier | C an35 | R | | | | | | |
| 7143 | Item type identification code | C an3 | R | | | | | | |
| 1131 | Code list identification code | C an17 | 0 | | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| C212 | ITEM NUMBER IDENTIFICATION | С | 0 | | | | | | |
| 7140 | Item identifier | C an35 | R | ĺ | | | | | |
| 7143 | Item type identification code | C an3 | R | Ĺ | | | | | |
| 1131 | Code list identification code | C an17 | 0 | T | | | | | |
| 3055 | Code list responsible agency code | C an3 | D | | | | | | |
| | ITEM NUMBER | 1 | | ĺ | | | | | |

5. Segments Layout

Segment number: 69

| | | EDIFACT | GS1 | * | Description |
|------|-----------------------------------|---------|-----|---|-------------|
| C212 | IDENTIFICATION | С | 0 | | |
| 7140 | Item identifier | C an35 | R | | |
| 7143 | Item type identification code | C an3 | R | | |
| 1131 | Code list identification code | C an17 | 0 | | |
| 3055 | Code list responsible agency code | C an3 | D | | |

Segment Notes:

This segment is used to provide the product identification of the line item detailed in the DLI segment for the current document.

Example:

PIA+5+3323456007803:SRV'

5. Segments Layout

| Segment nu | mber: 70 | 0 | |
|------------|----------|---|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| SG24 | - C | 9999 - DLI-MOA-PIA-DTM-SG26 | |
| DTM | - C | 5 - Date/time/period | |

Function:

To specify date, and/or time, or period.

| - | · · | EDIFACT | GS1 | * | Description |
|------|--|---------|-----|---|---|
| C507 | DATE/TIME/PERIOD | М | Μ | | |
| 2005 | Date or time or period function code qualifier | M an3 | М | | 2 = Delivery date/time, requested 35 = Delivery date/time, actual 36 = Expiry date 50 = Goods receipt date/time 55 = Confirmed date/time 61 = Cancel if not delivered by this date 147 = Expiry date of export licence 195 = Expiry date of import licence |
| 2380 | Date or time or period value | C an35 | R | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD |

Segment Notes:

This segment is used to specify any dates which are relevant to the current line item.

Example:

DTM+2:20020605:102'

DTM+35:20020612:102'

Delivery of the current line item was requested on the 5th of June 2002 but the actual delivery only took place on the 12th of June 2002.

5. Segments Layout

| Segment number: 71 | | | | | | | | |
|--------------------|--------------------|--------------------|---|-------|-----|---|--|--|
| SG4 | - M | 9999 - LIN-DTM | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | |
| SG10 | - M | 99999 - SEQ-DTM | -BUS-FII-S | G11-S | GG1 | 12-SG13-SG14-SG15-SG16-SG17-SG20 | | |
| SG20 | - C | 1 - PRC-FTX- | 1 - PRC-FTX-SG21-SG27 | | | | | |
| SG21 | - C | 9999 - DOC-MOA | A-DTM-RFF | -NAE | D-S | G22-SG23-SG24 | | |
| SG24 | - C | 9999 - DLI-MOA | -PIA-DTM-S | SG26 | | | | |
| SG26 | - C | 10 - AJT-MOA | -RFF | | | | | |
| AJT | - M | 1 - Adjustmen | t details | | | | | |
| Functio | n: | | | | | | | |
| To iden | tify the reason | for an adjustment. | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | |
| 4465 | Adjustment code | reason description | M an3 | Μ | | 1 = Agreed settlement 2 = Below specification goods 3 = Damaged goods | | |

| | | | 5 – Damaged goods |
|--|---------------------|---------------|---|
| | | | 4 = Short delivery |
| | | | 5 = Price query |
| | | | 6 = Proof of delivery required |
| | | | 9 = Invoice error |
| | | | 14 = Wrong delivery |
| | | | 17 = Transport damage |
| | | | 20 = Discount for late delivery |
| | | | 32 = Goods not delivered |
| 1082 Line item identifier | C an6 | Ν | |
| Segment Notes: | | | |
| e | c 1: | | |
| This segment is used to indicate the i | reason for an adjus | stment to the | current line identified in the DLI segment. |
| | | | |
| Example: | | | |
| AJT+3' | | | |

5. Segments Layout

| Segment nu | mber: 7 | 2 | |
|------------|---------|---|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| SG24 | - C | 9999 - DLI-MOA-PIA-DTM-SG26 | |
| SG26 | - C | 10 - AJT-MOA-RFF | |
| MOA | - C | 1 - Monetary amount | |
| F | | | |

Function:

To specify a monetary amount.

| | | EDIFACT | GS1 | * | Description |
|------|-------------------------------------|---------|-----|---|--|
| C516 | MONETARY AMOUNT | М | Μ | | |
| 5025 | Monetary amount type code qualifier | Man3 | Μ | * | 5 = Adjusted amount 165 = Adjustment amount |
| 5004 | Monetary amount | C n35 | R | | |
| 6345 | Currency identification code | C an3 | Ν | | |
| 6343 | Currency type code qualifier | C an3 | N | | |
| 4405 | Status description code | C an3 | N | | |

Segment Notes:

This segment is used to indicate the value of the adjusted amount for the current line item.

Adjustment amounts may be provided for information purposes only, e.g. not for calculation. The adjustment

amount will not necessarily equal the difference between the amount due and the amount remitted. The adjustment amount will always be expressed in terms of the remittance/payment currency.

Example: MOA+5:4920'

5. Segments Layout

| Segment nur | mber: 7 | 3 | |
|-------------|---------|---|--|
| SG4 | - M | 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | |
| SG10 | - M | 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | |
| SG20 | - C | 1 - PRC-FTX-SG21-SG27 | |
| SG21 | - C | 9999 - DOC-MOA-DTM-RFF-NAD-SG22-SG23-SG24 | |
| SG24 | - C | 9999 - DLI-MOA-PIA-DTM-SG26 | |
| SG26 | - C | 10 - AJT-MOA-RFF | |
| RFF | - C | 1 - Reference | |
| Function: | | | |

To specify a reference.

| | | EDIFACT | GS1 | * | Description | | | |
|----------------|------------------------------|---------|-----|---|--|--|--|--|
| C506 | REFERENCE | М | Μ | | | | | |
| 1153 | Reference code qualifier | M an3 | М | | ON = Order number (buyer) PL = Price list number PP = Purchase order change number POR = Purchase order response number VN = Order number (supplier) | | | |
| 1154 | Reference identifier | C an70 | R | | | | | |
| 1156 | Document line identifier | C an6 | 0 | | | | | |
| 4000 | Reference version identifier | C an35 | Ν | | | | | |
| 1060 | Revision identifier | C an6 | N | | | | | |
| Segment Notes: | | | | | | | | |

This segment is used to specify any references associated with the adjustment amounts for the current line item.

Example: RFF+PP:6522'

5. Segments Layout

| Segment 1 | number: 74 | 1 | | | | | | |
|---|--|--------------------|-------------|-----|---|---------------------------|--|--|
| SG4 | G4 - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | | | |
| SG10 | - M 999999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | | | |
| SG20 | - C | 1 - PRC-FT | X-SG21-SG27 | , | | | | |
| SG27 | - C | 1 - GIS-MO | A | | | | | |
| GIS | - M | 1 - General | ndicator | | | | | |
| Functior | n: | | | | | | | |
| To trans | To transmit a processing indicator. | | | | | | | |
| Notes: 1. This segment will be removed effective with directory D.02B. | | | | | | | | |
| | | | EDIFACT | GS1 | * | Description | | |
| C529 | PROCESSI | NG INDICATOR | М | М | | | | |
| 7365 | Processing i description | | M an3 | М | * | 37 = Complete information | | |
| 1131 | Code list ide | entification code | C an17 | Ν | | | | |
| 3055 | Code list res | sponsible agency | C an3 | N | | | | |
| 7187 | Process type | e description code | C an17 | Ν | | | | |
| Segment | t Notes: | | | | | | | |
| This segment is used to indicate the end of the detail of payment. | | | | | | | | |
| Example: GIS+37' | | | | | | | | |

5. Segments Layout

| SG4 | - M 9999 - LIN-DTM-BUS-MOA-SG5-SG6-SG7-SG10 | | | | | |
|-------------------------------|---|-------------------|---------|-----|---|--------------------|
| SG10 | - M 99999 - SEQ-DTM-BUS-FII-SG11-SG12-SG13-SG14-SG15-SG16-SG17-SG20 | | | | | |
| SG20 | - C 1 - PRC-FTX-SG21-SG27 | | | | | |
| SG27 | - C 1 - GIS-MOA | | | | | |
| MOA | - C 5 - Monetary amount | | | | | |
| Function: | | | | | | |
| To specify a monetary amount. | | | | | | |
| | | | EDIFACT | GS1 | * | Description |
| C516 | MONETAR | AMOUNT | М | М | | |
| 5025 | Monetary as qualifier | mount type code | Man3 | Μ | | 128 = Total amount |
| 5004 | Monetary a | mount | C n35 | R | | |
| 6345 | Currency id | entification code | C an3 | N | | |
| 6343 | Currency ty | pe code qualifier | C an3 | Ν | | |
| | Ctatura danaa | iption code | C an3 | N | | |

This segment is used to indicate the total amount for level C for control purposes. The figure detailed here is simply an accumulation of the values specified in all MOA segments in level C regardless of the qualifiers used in DE 5025.

Example:

MOA+128:25601'

5. Segments Layout

Segment number: 76

| CNT - C 5 - Control total | | | | | | |
|---|-----------------------------------|---------|-----|---|---|--|
| Function | n: | | | | | |
| To prov | vide control total. | | | | | |
| | | EDIFACT | GS1 | * | Description | |
| C270 | CONTROL | М | М | | | |
| 6069 | Control total type code qualifier | M an3 | М | | 2 = Number of line items in message 40 = Total number of sequence details in message | |
| 6066 | Control total value | Mn18 | М | | | |
| 6411 | Measurement unit code | C an3 | 0 | | | |
| Segment Notes: This segment is used to provide application data for message control purposes. Example: CNT+2:26' | | | | | | |

| To specify results of the application of an authentication procedure. EDIFACT GS1 * Description 9280 Validation result value M an35 M Image: Colspan="2">M | | | | | | |
|--|---------------------------------------|--|--|--|--|--|
| EDIFACT GS1 * Description 9280 Validation result value M an35 M | | | | | | |
| 9280 Validation result value M an35 M | | | | | | |
| 9280 Validation result value M an35 M | | | | | | |
| | | | | | | |
| 0292 Validation has identified C on 25 O This data demonst is used to | 9280 Validation result value M an35 M | | | | | |
| 9282 Validation key identifier C an35 O This data element is used to identify the key which has been/is used to validate the contents of the message. | | | | | | |

Example: AUT+7761'

| Segment number: 78 | | | | | | |
|--|---|---------------|-------|-----|---|--|
| SG28 - C 5 - AUT-DTM | | | | | | |
| DTM - C 1 - Date/time/period | | | | | | |
| Function | 1: | | | | | |
| To speci | fy date, and/or time, or period. | | | | | |
| | | EDIFACT | GS1 | * | Description | |
| C507 | DATE/TIME/PERIOD | М | Μ | | | |
| 2005 | Date or time or period function code qualifier | Man3 | М | * | 218 = Authentication/validation date/time | |
| 2380 | Date or time or period value | C an35 | R | | | |
| 2379 | Date or time or period format code | C an3 | R | | 102 = CCYYMMDD | |
| Segment | t Notes: | | _ | | | |
| This segment is used to provide details related to the date and where necessary, the time, of the multiple credit advice validation. | | | | | | |
| | e: 18:200206011200:203' tiple payment order was validated a | at 12 noon or | the 1 | sto | of June 2002. | |

| Segment number: 79 | | | | | | |
|---|---------------------------------|--------|---|--|---|--|
| UNT - M 1 - Message trailer | | | | | | |
| Function: | | | | | | |
| To end and check the completeness of a message. | | | | | | |
| Notes: 1. 0062, the value shall be identical to the value in 0062 in the corresponding UNH segment. | | | | | | |
| EDIFACT GS1 * Description | | | | | | |
| 0074 | Number of segments in a message | M n10 | Μ | | The total number of segments in the message. | |
| 0062 | Message reference number | M an14 | Μ | | The message reference numbered detailed here should equal the one specified in the UNH segment. | |
| Segment Notes: This segment is a mandatory UN/EDIFACT segment. It must always be the last segment in the message. Example: UNT+79+ME0000001' | | | | | | |

6. Examples

Example 1

The following is an example of a simple credit advice message sent by the bank Kredit Bank to the receiving party identified by GLN 5422334423459, which provides details of a simple credit advice which has been made to the beneficiary, Mr J. Holmes.

The message, identified by the number 5841, which was generated on the 8th of August 2002, provides details of a credit totalling 50000 Euros (EUR). The message sender and the bank of the beneficiary are identified using the ISO bank identification codes. The message provides details related to three invoices identified by the numbers 43534, 52000, and 52447.

| UNH+ME00000001+CREMUL:D:01B:UN:EAN003' | Start level A - message header |
|---|---|
| BGM+338+5841+9' | Message is advice of items which have been booked |
| DTM+137:20020808:102' | Message date 8th August 2002 |
| FII+MS++KREDBEBB:25:5' | Identification message sending bank |
| NAD+MR+5422331123459::9' | Identification of message recipient party |
| LIN+1' | Start level B |
| DTM+209:20020808:102' | Value date for the credit is 8th August 2002 |
| MOA+60:49360:EUR' | Posted amount = 49360 Euros |
| MOA+XB5:50000:EUR' | Information amount = 50000 Euros (amount before deduction of charges) |
| RFF+ACK:68132' | Bank reference 68132 identifies level B of this message |
| FII+BF+994-3277711+KREDBEBB:25:5' | Beneficiary bank details |
| FCA+13' | All charges to be borne by the payee |
| MOA+23:640:EUR' | Charge amount = 640 Euros |
| SEQ++1' | Start level C |
| FII+BF+994-3277711:N GEISS+KREDBEBB:25:5' | Identification of the beneficiary |
| RFF+AIK:481' | Bank reference 481 identifies level C of this message |
| MOA+60:49360:EUR' | Posted amount = 49360 Euros |
| MOA+XB5:50000:EUR' | Information amount = 50000 Euros (amount before deduction of charges) |
| NAD+OY+5422331123459::9' | Identification of ordering customer using GLN 5422331123459 |
| PRC+8' | Structured information follows |
| DOC+380+43534' | Commercial invoice number 43534 |
| DTM+137:20010710:102' | Invoice date 10th July 2001 |
| DOC+380+52000' | Commercial invoice number 52000 |
| | |

6. Examples

| DTM+137:20010713:102' | Invoice date 13th July 2001 |
|-----------------------|---|
| DOC+380+52447' | Commercial invoice number 52447 |
| DTM+137:20010713:102' | Invoice date 13th July 2001 |
| GIS+37' | End of credit details |
| MOA+139:50000' | Control total of value of message |
| UNT+29+ME0000001' | Total number of segments in the message equals 29 |

Example 2

The following is an example of a multiple credit advice message sent by the Dresdner bank providing details of an extended credit advice for the beneficiary identified by GLN 5312345123456.

The message, identified by the number 608, which was generated on the 28th of June 2002, provides details of credits totalling 8080 Euros (EUR) which will be posted to the beneficiary's account on the 29th of June. The details of the message indicate to the beneficiary that although the credit amount equals 8080 EUR the original invoiced total was 8500 EUR. The reasons for the difference between the invoice value and payment value is detailed in the remittance data contained in the message.

The message sender and the bank of the beneficiary are identified using the ISO bank identification codes.

| Invoice Number | Invoice Value | Invoice Date | Amount Remitted | Adjustment Value | References |
|-------------------|---------------|--------------|--------------------|---------------------|--|
| 434 | 120 | 2002/05/10 | 120 | | Order No: 664 |
| 520 | 160 | 2002/05/13 | 160 | | Order No: 357 |
| 447 | 6420 | 2002/05/13 | 6000 | 420 | Order No: 734 Delivery Note No: 187-A1 |
| 466 | 1800 | 2002/05/13 | 1800 | 1800 | |

| UNH+ME00000001+CREMUL:D:01B:UN:EAN003' | Start level A - message header | |
|--|---|--------------|
| BGM+141+608+9' | Message is advice of items which are to be booked | |
| DTM+137:20022806:102' | Message date 28th June 2002 | |
| FII+MS++DRESDEFF:25:5' | Identification message sending bank | |
| NAD+MR+5312345123456::9' | Identification of message recipient party | |
| LIN+1' | Start level B | |
| DTM+202:20020629:102' | Posting will take place on 29th of June 2002 | |
| RFF+ACK:632' | Bank reference 632 identifies level B of this | |
| © Copyright GS1 | - 116 - | Edition 2016 |

EANCOM[®] 2002 S4 Part II CREMUL

6. Examples

| | message | |
|--|--|--------------|
| MOA+60:8080:EUR' | Posted amount = 8080 EUR | |
| FII+BF+994-32366211+KREDBEBB:25:5' | Beneficiary bank details | |
| SEQ++1' | Start level C | |
| FII+BF+994-32366211:N GEISS+KREDBEBB:25:5' | Identification of the beneficiary | |
| RFF+AIK:491' | Bank reference 491 identifies level C of this message | |
| MOA+60:8080:EUR' | Posted amount = 8080 Euros | |
| MOA+XB5:8500:EUR' | Information amount = 8500 Euros (amount be deduction of charges) | fore |
| NAD+OY+++ABC EXPRESS COURIERS' | Indication of the Ordering Customer | |
| PRC+8' | Structured information follows | |
| DOC+380+434' | Commercial invoice number 434 | |
| MOA+9:120:EUR' | Amount due = 120 EUR | |
| MOA+11:120:EUR' | Amount paid = 120 EUR | |
| DTM+137:20020510:102' | Invoice date 10th May 2002 | |
| RFF+ON:664' | Order number 664 | |
| DOC+380+520' | Commercial invoice number 520 | |
| MOA+9:160:EUR' | Amount due = 160 EUR | |
| MOA+11:160:EUR' | Amount paid = 160 EUR | |
| DTM+137:20020513:102' | Invoice date 13th May 2002 | |
| RFF+ON:357' | Order number 357 | |
| DOC+380+447' | Commercial invoice number 447 | |
| MOA+9:6420:EUR' | Amount due = 6420 EUR | |
| MOA+12:6000:EUR' | Amount paid = 6000 EUR | |
| DTM+137:20020513:102' | Invoice date 13th May 2002 | |
| RFF+ON:734' | Order number 734 | |
| AJT+3' | Adjustments due to damaged goods | |
| MOA+5:420:EUR' | Adjusted amount = 420 EUR | |
| RFF+DQ:187-A1' | Delivery note number 187-A1 | |
| DOC+380+466' | Commercial invoice number 466 | |
| MOA+9:1800:EUR' | Amount due = 1800 EUR | |
| MOA+12:1800:EUR' | Amount paid = 1800 EUR | |
| DTM+137:20020513:102' | Invoice date 13th May 2002 | |
| © Copyright GS1 | - 117 - | Edition 2016 |

6. Examples

| GIS+37' | End of credit details |
|-------------------|---|
| MOA+139:8080' | Control total value of message |
| UNT+42+ME0000001' | Total number of segments in the message equals 42 |

<u>Note</u> : The EDI interchange will include the UNB..UNZ segments and, if applicable, the UNG..UNE segments. (See part 1 section 5.7).